

Test Report

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13 頁數(Page): 1 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD.

新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

| BASIC INFORMATION | | | | | | |
|------------------------------|---|--|--|--|--|--|
| Type of Product | SMD C TYPE | | | | | |
| Supplier Company Name | EVERLIGHT | | | | | |
| Address | NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN | | | | | |
| Tel / Fax / Email | TEL:886-2685-6688 | | | | | |
| | FAX:886-2685-6699 | | | | | |
| | E-MAIL: lindawang@everlight.com | | | | | |
| Contact Person | LI LING WANG | | | | | |
| EVERLIGHT REPORT NO | EVERLIGHT-SMD C TYPE 57 SERIES Sampling Product: 57-11-BVT-DCR1S1H7A-BT8-AM -SGS-13/04/2020 | | | | | |
| PRODUCT INFORMATION | | | | | | |
| Product/component Sample | Dashboard / Door Lamp | | | | | |
| Quantity (numbers or weight) | 0.0889 g | | | | | |
| EVERLIGHT P/N | SMD C TYPE 57 SERIES Sampling Product: 57-11-BVT-DCR1S1H7A-BT8-AM | | | | | |
| Product Lot No | Y200206K 4D9811M | | | | | |
| Country of Origin | TAIWAN | | | | | |
| TEST INFORMATION | | | | | | |
| Sample preparation | CUTTING | | | | | |
| Test Method | RoHS: IEC 62321, Halogen: BS EN 14582 | | | | | |
| MDL | Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg | | | | | |

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 送樣廠商(Sample Submitted

收件日期(Sample Receiving 2020/04/01

測試期間(Testing Period) 2020/04/01 to 2020/04/13

請參閱下一頁 (Please refer to following pages). 測試結果(Test Results)

Troy Chang / Manager - Tec Signed for and behalf of SGS TAIWAN LTD. Chemical Laboratory - Taipei





Test Report 億光電子工業股份有限公司 號碼(No.): CE/2020/40291 日期(Date): 2020/04/13 頁數(Page): 2 of 21

EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

結論(Conclusion)

- (1) 根據客戶所提供的樣品,其鎬、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求. (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)
- (2) 根據客戶所提供的樣品,18項多環芳香烴測試結果符合德國產品安全委員會(AfPS) GS PAHs第 3 類 「列於德國產品安全 法之其他產品」之限值要求. (Based upon the performed tests on the submitted sample(s), the test results of PAHs (18 items) comply with the limits of PAHs requirement (Category 3) Other products under ProdSG as set by German Committee on Product Safety (AfPS) GS PAHs.)

測試結果(Test Results)

測試部位(PART NAME)No.1 : 本體 (BODY)

測試部位(PART NAME)No. 2 : 銀色金屬鍍層 (PLATING LAYER OF SILVER COLORED METAL) 測試部位(PART NAME)No.3 : 銀色金屬底材 (BASE MATERIAL OF SILVER COLORED METAL)

測試部位(PART NAME)No.4 : 銀色金屬 (含鍍層) (SILVER COLORED METAL (INCLUDING THE PLATING LAYER))

| 測試項目 | 單位 | · · | | 結 | 限值 | | |
|-------------------------------------|--------|---|---|-------|-------|-------|---------|
| (Test Items) | (Unit) | (Method) | | No. 1 | No. 2 | No. 3 | (Limit) |
| 鎘 / Cadmium (Cd) | mg/kg | 参考IEC 62321-5 (2013),以感 應耦合電漿發射光譜儀檢測./ | 2 | n. d. | | | 100 |
| 鉛 / Lead (Pb) | mg/kg | With reference to IEC 62321-5 (2013) and performed by ICP-0ES. | 2 | n. d. | | | 1000 |
| 汞 / Mercury (Hg) | mg/kg | 參考IEC 62321-4:2013+ AMD1:2017,以感應耦合電漿發射 光譜儀檢測. / With reference to IEC 62321-4:2013+ AMD1:2017 and performed by ICP-OES. | 2 | n. d. | | | 1000 |
| 六價鉻 / Hexavalent Chromium Cr(VI) | mg/kg | 参考IEC 62321-7-2 (2017),以 UV-VIS檢測. / With reference to IEC 62321-7-2 (2017) and performed by UV-VIS. | 8 | n. d. | | | 1000 |



Test Report

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13 頁數(Page): 3 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

| 測試項目 (Tast Itana) | i i i i i i i i i i i i i i i i i i i | | MDL | 結果 (Result) | | | 限值 —(Limit) |
|---|---------------------------------------|--|------|-------------|-------|-------|----------------|
| (Test Items) | (Unit) | (Method) | | No. 1 | No. 2 | No. 3 | (L1M1t) |
| 鎬 / Cadmium (Cd) | mg/kg | 酸洗脫鍍層,參考IEC 62321-5 (2013),以感應耦合電漿發射光 譜儀檢測. / IEC 62321-5 | 2 | | n. d. | | 100 |
| 鉛 / Lead (Pb) | mg/kg | (2013) application of modified digestion by surface etching and performed by ICP-OES. | 2 | | n. d. | | 1000 |
| 汞 / Mercury (Hg) | mg/kg | 酸洗脫鍍層,參考IEC 62321- 4:2013+ AMD1:2017,以感應耦合 電漿發射光譜儀檢測. / IEC 62321-4:2013+ AMD1:2017 application of modified digestion by surface etching and performed by ICP-OES. | 2 | | n. d. | | 1000 |
| 鎘 / Cadmium (Cd) | mg/kg | 参考IEC 62321-5 (2013),以感 應耦合電漿發射光譜儀檢測./ | 2 | | | n. d. | 100 |
| 鉛 / Lead (Pb) | mg/kg | With reference to IEC 62321-5 (2013) and performed by ICP-OES. | 2 | | | 6. 57 | 1000 |
| 汞 / Mercury (Hg) | mg/kg | 参考IEC 62321-4:2013+ AMD1:2017,以感應耦合電漿發射 光譜儀檢測. / With reference to IEC 62321-4:2013+ AMD1:2017 and performed by ICP-OES. | 2 | | | n. d. | 1000 |
| 六價鉻 / Hexavalent Chromium Cr(VI)(#2) | μg/cm² | 參考IEC 62321-7-1 (2015),以 UV-VIS檢測. / With reference to IEC 62321-7-1 (2015) and performed by UV-VIS. | 0.10 | | n. d. | n. d. | - |



Test Report

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13 頁數(Page): 4 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

| 測試項目 | 單位 | · · | | 結 | 果(Resu | lt) | 限值 |
|----------------------------------|--------|---|---|-------|--------|-------|---------|
| (Test Items) | (Unit) | (Method) | | No. 1 | No. 2 | No. 3 | (Limit) |
| 多溴聯苯總和 / Sum of PBBs | mg/kg | | - | n. d. | | | 1000 |
| 一溴聯苯 / Monobromobiphenyl | mg/kg | | 5 | n. d. | | | - |
| 二溴聯苯 / Dibromobiphenyl | mg/kg | | 5 | n. d. | | | _ |
| 三溴聯苯 / Tribromobiphenyl | mg/kg | | 5 | n. d. | | | _ |
| 四溴聯苯 / Tetrabromobiphenyl | mg/kg | | 5 | n. d. | | | _ |
| 五溴聯苯 / Pentabromobiphenyl | mg/kg | | 5 | n. d. | | | _ |
| 六溴聯苯 / Hexabromobiphenyl | mg/kg | | 5 | n. d. | | | - |
| 七溴聯苯 / Heptabromobiphenyl | mg/kg | | 5 | n. d. | | | - |
| 八溴聯苯 / Octabromobiphenyl | mg/kg | 6 l | 5 | n. d. | | | - |
| 九溴聯苯 / Nonabromobiphenyl | mg/kg | 参考IEC 62321-6 (2015),以氣 | 5 | n. d. | | | _ |
| 十溴聯苯 / Decabromobiphenyl | mg/kg | 相層析/質譜儀檢測. / With reference to IEC 62321-6 | 5 | n. d. | | | _ |
| 多溴聯苯醚總和 / Sum of PBDEs | mg/kg | (2015) and performed by | - | n. d. | | | 1000 |
| 一溴聯苯醚 / Monobromodiphenyl ether | mg/kg | GC/MS. | 5 | n. d. | | | - |
| 二溴聯苯醚 / Dibromodiphenyl ether | mg/kg | 507 m2. | 5 | n. d. | | | _ |
| 三溴聯苯醚 / Tribromodiphenyl ether | mg/kg | | 5 | n. d. | | | - |
| 四溴聯苯醚 / Tetrabromodiphenyl ether | mg/kg | | 5 | n. d. | | | - |
| 五溴聯苯醚 / Pentabromodiphenyl ether | mg/kg | | 5 | n. d. | | | - |
| 六溴聯苯醚 / Hexabromodiphenyl ether | mg/kg | | 5 | n. d. | | | - |
| 七溴聯苯醚 / Heptabromodiphenyl ether | mg/kg | | 5 | n. d. | | | - |
| 八溴聯苯醚 / Octabromodiphenyl ether | mg/kg | | 5 | n. d. | | | - |
| 九溴聯苯醚 / Nonabromodiphenyl ether | mg/kg | | 5 | n. d. | | | _ |
| 十溴聯苯醚 / Decabromodiphenyl ether | mg/kg | | 5 | n. d. | | | _ |



號碼(No.): CE/2020/40291 日期(Date): 2020/04/13 頁數(Page): 5 of 21 **Test Report**

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

| 測試項目 (Toot Items) | 單位 (IIn:+) | 测試方法(Wathad) | MDL | 結果 (Result) | | | 限值 -(Limit) |
|---|---------------|---|-----|-------------|-------|-------|----------------|
| (Test Items) | (Unit) | (Method) | | No. 1 | No. 2 | No. 3 | (LIMIL) |
| 鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7) | mg/kg | | 50 | n. d. | | | 1000 |
| 鄰苯二甲酸二丁酯 / DBP (Dibuty1 phthalate) (CAS No.: 84-74-2) | mg/kg | | 50 | n. d. | | | 1000 |
| 鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7) | mg/kg | | 50 | n. d. | | | 1000 |
| 鄰苯二甲酸二異丁酯 / DIBP (Di- isobutyl phthalate) (CAS No.: 84- 69-5) | mg/kg | | 50 | n. d. | | | 1000 |
| 鄰苯二甲酸二異癸酯 / DIDP (Di- isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1) | mg/kg | 参考IEC 62321-8 (2017),以氣相層析/質譜儀檢測. / With reference to IEC 62321-8 | 50 | n. d. | | | - |
| 鄰苯二甲酸二異壬酯 / DINP (Di- isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0) | mg/kg | (2017). Analysis was performed by GC/MS. | 50 | n. d. | | | - |
| 鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0) | mg/kg | | 50 | n. d. | | | - |
| 鄰苯二甲酸二戊酯 / DNPP (Di-n-pentyl phthalate) (CAS No.: 131-18-0) | mg/kg | | 50 | n. d. | | | - |
| 鄰苯二甲酸二正己酯 / DNHP (Di-n-hexyl phthalate) (CAS No.: 84-75-3) | mg/kg | | 50 | n. d. | | | - |
| 鄰苯二甲酸二 (2-甲氧基乙基)酯 / DMEP (Bis (2-methoxyethyl) phthalate) (CAS No.: 117-82-8) | mg/kg | | 50 | n. d. | | | - |
| 六溴環十二烷及所有主要被辨別出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α – HBCDD, β – HBCDD, γ – HBCDD) (CAS No.: 25637–99–4 and 3194–55–6 (134237–51–7, 134237–50–6, 134237–52–8)) | mg/kg | 参考IEC 62321 (2008),以氣相層析/質譜儀檢測./ With reference to IEC 62321 (2008). Analysis was performed by GC/MS. | 5 | n. d. | | | - |



Test Report

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13 頁數(Page): 6 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

| 測試項目 (Toot Items) | 测試項目 單位 測試方法 (Unit) (Method) MD | | MDL | 結果 (Result) | | lt) | 限值 —(Limit) |
|--|---------------------------------|--|------|-------------|-------|-------|----------------|
| (Test Trems) | | | | No. 1 | No. 2 | No. 3 | |
| 鹵素 / Halogen | | | | | | | |
| 鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8) | mg/kg | | 50 | n. d. | | | _ |
| 鹵素 (氣) / Halogen-Chlorine (C1) (CAS No.: 22537-15-1) | mg/kg | 參考BS EN 14582 (2016),以離 子層析儀分析. / With | 50 | n. d. | | | _ |
| 鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2) | mg/kg | reference to BS EN 14582 (2016). Analysis was performed by IC. | 50 | n. d. | | | _ |
| 鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 14362-44-8) | mg/kg | periormed by ic. | 50 | n. d. | | | _ |
| 全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide) | mg/kg | 參考CEN/TS 15968 (2010),以 液相層析/質譜儀檢測. / With reference to CEN/TS 15968 | 0.01 | n. d. | | | - |
| 全氟辛酸 / PFOA (CAS No.: 335-67-1) | mg/kg | (2010). Analysis was performed by LC/MS. | 0.01 | n. d. | | | _ |
| 鈹 / Beryllium (Be) | mg/kg | 参考US EPA 3052 (1996),以感 應耦合電漿發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-OES. | 2 | n. d. | | | 1 |
| 銻 / Antimony (Sb) | mg/kg | 參考US EPA 3052 (1996),以感應耦合電漿發射光譜儀檢測./ With reference to US EPA 3052 (1996). Analysis was performed by ICP-OES. | 2 | n. d. | | | - |



Test Report 億光電子工業股份有限公司

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13 頁數(Page): 7 of 21

EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

| 測試項目 | | | MDL | 結果 (Result) | | | 限值 |
|--|--------|---|------|-------------|-------|-------|---------|
| (Test Items) | (Unit) | (Method) | | No. 1 | No. 2 | No. 3 | (Limit) |
| 多環芳香烴 / Polycyclic Aromatic | | | | | | | |
| Hydrocarbons (PAHs) | | | | | | | |
| 苊 / Acenaphthene (CAS No.: 83-32-9) | mg/kg | | 0.2 | n. d. | | | - |
| 苊烯 / Acenaphthylene (CAS No.: 208- 96-8) | mg/kg | | 0.2 | n. d. | | | _ |
| 蔥 / Anthracene (CAS No.: 120-12-7) | mg/kg | | 0.2 | n. d. | | | - |
| 苯騈蒽 / Benzo[a]anthracene (CAS No.: 56-55-3) | mg/kg | | 0.2 | n. d. | | | - |
| 苯騈(a)芘 / Benzo[a]pyrene (CAS No.: 50-32-8) | mg/kg | | 0.2 | n. d. | | | - |
| 苯(b)苯駢芴 / Benzo[b]fluoranthene (CAS No.: 205-99-2) | mg/kg | | 0.2 | n. d. | | | - |
| 苯駢苝 / Benzo[g,h,i]perylene (CAS No.: 191-24-2) | mg/kg | | 0.2 | n. d. | | | - |
| 苯騈(k)螢蔥 / Benzo[k]fluoranthene (CAS No.: 207-08-9) | mg/kg | 參考AfPS GS 2014:01 PAK,以 | 0. 2 | n. d. | | | _ |
| Chrysene (CAS No.: 218-01-9) | mg/kg | 氣相層析/質譜儀檢測. / With | 0.2 | n. d. | | | - |
| 二苯駢蒽 / Dibenzo[a, h]anthracene (CAS No.: 53-70-3) | mg/kg | reference to AfPS GS 2014:01 PAK. Analysis was performed | 0.2 | n. d. | | | - |
| 苯駢苊 / Fluoranthene (CAS No.: 206-44-0) | mg/kg | by GC/MS. | 0.2 | n. d. | | | - |
| 芴 / Fluorene (CAS No.: 86-73-7) | mg/kg | | 0.2 | n. d. | | | - |
| 茚酮芘 / Indeno[1, 2, 3-c, d] pyrene (CAS No.: 193-39-5) | mg/kg | | 0. 2 | n. d. | | | _ |
| 萘 / Naphthalene (CAS No.: 91-20-3) | mg/kg | | 0.2 | n. d. | | | - |
| 菲 / Phenanthrene (CAS No.: 85-01-8) | mg/kg | | 0.2 | n. d. | | | - |
| 芘 / Pyrene (CAS No.: 129-00-0) | mg/kg | | 0.2 | n. d. | | | _ |
| 苯(j)苯騈芴 / Benzo[j]fluoranthene (CAS No.: 205-82-3) | mg/kg | | 0.2 | n. d. | | | - |
| 苯騈(e)芘 / Benzo[e]pyrene (CAS No.: 192-97-2) | mg/kg | | 0. 2 | n. d. | | | - |
| 多環芳香烴18項總和 / Sum of 18 PAHs | mg/kg | | _ | n. d. | | | Δ |



Test Report 億光電子工業股份有限公司 號碼(No.): CE/2020/40291 日期(Date): 2020/04/13 頁數(Page): 8 of 21

EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

| 測試項目 | 單位 | 測試方法 | MDL | 結果 | 限值 |
|--------------------|--------|--|-----|----------|---------|
| (Test Items) | (Unit) | (Method) | | (Result) | (Limit) |
| 鈹 / Beryllium (Be) | | 参考US EPA 3050B (1996),以 感應耦合電漿發射光譜儀檢測. / With reference to US EPA 3050B (1996). Analysis was performed by ICP-OES. | 2 | n. d. | - |

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出)
- 4. "-" = Not Regulated (無規格值)
- 5. "---" = Not Conducted (未測項目)
- 6. (#2) =
 - a. 當六價鉻結果大於0.13 µg/cm²,表示樣品表層含有六價鉻. / The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 μg/cm². The sample coating is considered to contain Cr(VI).
 - b. 當六價鉻結果為n.d. (濃度小於 $0.10~\mu g/cm^2$),表示表層不含六價鉻. / The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 μg/cm²). The coating is considered a non-Cr(VI) based coating c. 當六價鉻結果介於 0.10 及 0.13 μg/cm² 時,無法確定塗層是否含有六價鉻. / The result between 0.10 μg/cm² and 0.13 µg/cm² is considered to be inconclusive - unavoidable coating variations may influence the determination.



Test Report

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13 頁數(Page): 9 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 2019/1021

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品或塗層 材料中不得超過lµg/m²。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above $1\mu g/m^2$.)



Test Report

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

△ 德國產品安全委員會(AfPS) GS PAHs 要求 /

AfPS (German commission for Product Safety): GS PAHs requirements

| | 第1類(Category 1) | 第2類(Category 2) | | 第3類(C | ategory 3) |
|------------------------------|--|--|---|--|---|
| 項目 (Parameter) | 意圖放入嘴內的材料或 玩具會與皮膚有所接觸 (超過30秒). (Material indented to be put in the mouth or toys with intended skin contact (longer than | 逾30秒(長期或經常 (Materials not fa category 1 with f | oreseeable contact tr than 30 seconds | 接觸),以及不屬於 (Materials not fa category 1 or 2 w contact to skin f | ith foreseeable |
| | 30 s).) | 列於2009/48/EC之 玩具 (Toy under 2009/48/EC) | 列於德國產品安全法 之其他產品(Other products under ProdSG) | 列於2009/48/EC之 玩具 (Toy under 2009/48/EC) | 列於德國產品安全法 之其他產品(Other products under ProdSG) |
| Naphthalene | < 1 | | < 2 | < | 10 |
| Acenaphthylene | | | | | |
| Acenaphthene | | | | | |
| Fluorene | | | | | |
| Phenanthrene | < 1 Sum | < 5 Sum | < 10 Sum | < 20 Sum | < 50 Sum |
| Anthracene | | | | | |
| Fluoranthene | | | | | |
| Pyrene | | | | | |
| Benzo[a]anthracene | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Chrysene | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Benzo[b]fluoranthene | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Benzo[j]fluoranthene | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Benzo[k]fluoranthene | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Benzo[a]pyrene | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Benzo[e]pyrene | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Indeno[1, 2, 3-c, d] pyrene | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Dibenzo[a,h]anthracene | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| Benzo[g,h,i]perylene | < 0.2 | < 0.2 | < 0.5 | < 0.5 | < 1 |
| 18項PAH總濃度 (Sum of 18 PAH) | < 1 | < 5 | < 10 | < 20 | < 50 |

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13

單位(Unit):mg/kg

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://twap.sgs.com/Terms-and-Conditions.html and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document.html Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 10 of 21



Test Report

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13 頁數(Page): 11 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號


NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

No. 1, 3

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)





Test Report


號碼(No.): CE/2020/40291 日期(Date): 2020/04/13 頁數(Page): 12 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

No. 2

鍍層重金屬測試流程圖 / Flow Chart of Stripping method for metal analysis

根據以下的流程圖之條件,樣品之外部鍍層已完全溶解。(六價鉻測試方法除外) /The plating layer of samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr6+ test method excluded)






Test Report

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://twap.sgs.com/Terms-and-Conditions.html and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document.html Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 13 of 21




Test Report

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

可塑劑分析流程圖 / Analytical flow chart - Phthalate

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13

【測試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://twap.sgs.com/Terms-and-Conditions.html and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document.html Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 14 of 21




Test Report

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13 頁數(Page): 15 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD






Test Report

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13 頁數(Page): 16 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

全氟辛酸/全氟辛烷磺酸分析流程圖 / Analytical flow chart - PFOA/PFOS

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://twap.sgs.com/Terms-and-Conditions.html and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document.html Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 17 of 21




Test Report

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13 頁數(Page): 18 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

多環芳香烴分析流程圖 / Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)






Test Report

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

元素以 ICP-OES 分析的消化流程圖 (Flow Chart of digestion for the elements analysis performed by ICP-OES)

根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13



| 鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder | 王水,硝酸,鹽酸,氫氟酸,雙氧水 / |
|---|--|
| | Aqua regia, HNO ₃ , HCl, HF, H ₂ O ₂ |
| 玻璃 / Glass | 硝酸,氫氟酸 / HNO ₃ /HF |
| 金,鉑,鈀,陶瓷 / Gold, platinum, palladium, ceramic | 王水 / Aqua regia |
| 銀 / Silver | 硝酸 / HNO ₃ |
| 塑膠 / Plastic | 硫酸,雙氧水,硝酸,鹽酸 / H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCl |
| 其他 / Others | 加入適當的試劑至完全溶解 / Added appropriate |
| | reagent to total digestion |

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://twap.sgs.com/Terms-and-Conditions.html and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document.html Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 19 of 21




Test Report

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13 頁數(Page): 20 of 21


億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

> * 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

> > CE/2020/40291 NO.1



CE/2020/40291 NO.2






Test Report


億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

CE/2020/40291 NO.3

號碼(No.): CE/2020/40291 日期(Date): 2020/04/13



CE/2020/40291 **NO.4**



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://twap.sgs.com/Terms-and-Conditions.html and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document.html Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 21 of 21