

Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 1 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

the applicant asy.	
BASIC INFORMATION	
Type of Product	HIGH POWER LED_ELYU
Supplier Company Name	EVERLIGHT
Address	NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN
Tel / Fax / Email	TEL:886-2685-6688
	FAX:886-2685-6699
	E-MAIL: lindawang@everlight.com
Contact Person	LI LING WANG
EVERLIGHT REPORT NO	EVERLIGHT-ELYU SERIES
	Sampling Product: ELYU03-5070J4J6294310-N0-SGS-16-Nov-2020
PRODUCT INFORMATION	
Product/component Sample	Automotive exterior lighting
description	
Quantity (numbers or weight)	0.0375 g
EVERLIGHT P/N	ELYU SERIES
	Sampling Product: ELYU03-5070J4J6294310-N0
Product Lot No	Y200917A1101VB5B
Country of Origin	TAIWAN
TEST INFORMATION	
Sample preparation	CUTTING
Test Method	RoHS: IEC 62321, Halogen: BS EN 14582
MDL	Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	· ウルチフェギョッナョハファバラリらいて 51.50TP.0.11.00 .00 .1.T.P. \

送樣廠商(Sample Submitted By) : 億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.)

收件日(Sample Receiving Date) : 05-Nov-2020

測試期間(Testing Period) : 05-Nov-2020 to 16-Nov-2020

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages).





This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan



Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 2 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

測試需求(Test Requested)

- (1) 依據客戶指定、參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試 編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)
- (2) 依據客戶指定,測試 PAHs 及其他測項。 (As specified by client, to test PAHs and other item(s).)

結 論(Conclusion)

- (1 根據客戶所提供的樣品‧其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863 之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)
- (2) 根據客戶所提供的樣品·多環芳香烴測試結果符合德國產品安全委員會(AfPS) GS PAHs 第 3 類「其它產品」之限值要求。 (Based on the performed tests on the submitted sample(s), the test results of PAHs comply with the limits of PAHs requirement (Category 3)「Other consumer products」 as set by German Committee on Product Safety (AfPS) GS PAHs.)

測試部位敘述 (Test Part Description)

No.1 : 透明黃色膠體 (TRANSPARENT-YELLOW GLUE) No.2 : 銅白色片狀 (COPPER-WHITE COLORED SHEET)

測試結果 (Test Results)

測試項目	測試方法	單位	MDL	結	果	限值
(Test Items)	(Method)	(Unit)		(Result)		(Limit)
				No.1	No.2	
鎘 (Cd) (Cadmium (Cd)) (CAS No.:	參考IEC 62321-5: 2013,以感應耦合電漿發	mg/kg	2	n.d.	n.d.	100
7440-43-9)	射光譜儀分析。(With reference to IEC					
鉛 (Pb) (Lead (Pb)) (CAS No.: 7439-	62321-5: 2013, analysis was performed	mg/kg	2	n.d.	n.d.	1000
92-1)	by ICP-OES.)					



Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 3 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

測試項目	測試方法	單位	MDL	結果		限值
(Test Items)	(Method)	(Unit)		(Result)		(Limit)
				No.1	No.2	
汞 (Hg) (Mercury (Hg)) (CAS No.: 7439-97-6)	參考IEC 62321-4: 2013+ AMD1: 2017 · 以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	n.d.	1000
六價鉻 Cr(VI) (Hexavalent Chromium Cr(VI)) (CAS No.: 18540- 29-9)	參考IEC 62321-7-2: 2017·以紫外光-可見 光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.	n.d.	1000
一溴聯苯 (Monobromobiphenyl)		mg/kg	5	n.d.	n.d.	-
二溴聯苯 (Dibromobiphenyl)		mg/kg	5	n.d.	n.d.	-
三溴聯苯 (Tribromobiphenyl)		mg/kg	5	n.d.	n.d.	-
四溴聯苯 (Tetrabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
五溴聯苯 (Pentabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
六溴聯苯 (Hexabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
七溴聯苯 (Heptabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
八溴聯苯 (Octabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
九溴聯苯 (Nonabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
十溴聯苯 (Decabromobiphenyl)	參考IEC 62321-6: 2015·以氣相層析儀/質	mg/kg	5	n.d.	n.d.	-
多溴聯苯總和 (Sum of PBBs)	譜儀分析。(With reference to IEC 62321-	mg/kg	-	n.d.	n.d.	1000
一溴聯苯醚 (Monobromodiphenyl ether)	6: 2015, analysis was performed by	mg/kg	5	n.d.	n.d.	-
二溴聯苯醚 (Dibromodiphenyl ether)	GC/MS.)	mg/kg	5	n.d.	n.d.	-
三溴聯苯醚 (Tribromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
四溴聯苯醚 (Tetrabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
五溴聯苯醚 (Pentabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
六溴聯苯醚 (Hexabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
七溴聯苯醚 (Heptabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
八溴聯苯醚 (Octabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
九溴聯苯醚 (Nonabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
十溴聯苯醚 (Decabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
多溴聯苯醚總和 (Sum of PBDEs)		mg/kg	-	n.d.	n.d.	1000



Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 4 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

測試項目	測試方法	單位	MDL	結果		限值
(Test Items)	(Method)	(Unit)		(Result)		(Limit)
				No.1	No.2	
鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP)) (CAS No.: 85-68-7)	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜 儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	n.d.	1000
鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP)) (CAS No.: 84-74-2)	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜 儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	n.d.	1000
鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP)) (CAS No.: 117-81-7)	參考IEC 62321-8: 2017·以氣相層析儀/質譜 儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	n.d.	1000
鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP)) (CAS No.: 84-69-5)	參考IEC 62321-8: 2017·以氣相層析儀/質譜 儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	n.d.	1000
鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1)	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜 儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	n.d.	-
鄰苯二甲酸二異壬酯 (DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)	參考IEC 62321-8: 2017 · 以氣相層析儀/質譜 儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	n.d.	1
鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0)	參考IEC 62321-8: 2017·以氣相層析儀/質譜 儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	n.d.	-
鄰苯二甲酸二正戊酯 (DNPP) (Di-n-pentyl phthalate (DNPP)) (CAS No.: 131-18-0)	參考IEC 62321-8: 2017·以氣相層析儀/質譜 儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	n.d.	-
鄰苯二甲酸二正己酯 (Di-n-hexyl phthalate) (CAS No.: 84-75-3)	參考IEC 62321-8: 2017·以氣相層析儀/質譜 儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	n.d.	-
鄰苯二甲酸雙(2-甲氧基乙基)酯 (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8)	參考IEC 62321-8: 2017·以氣相層析儀/質譜 儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	n.d.	-



Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 5 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

測試項目	測試方法	單位	MDL	結果		限值
(Test Items)	(Method)	(Unit)		(Result)		(Limit)
				No.1	No.2	
氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)	參考BS EN 14582: 2016·以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	n.d.	-
氯 (Cl) (Chlorine (Cl)) (CAS No.: 22537-15-1)	參考BS EN 14582: 2016·以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	n.d.	-
溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-2)	參考BS EN 14582: 2016·以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	n.d.	-
碘 (I) (Iodine (I)) (CAS No.: 14362- 44-8)	參考BS EN 14582: 2016·以離子層析儀分析。(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	n.d.	-
鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	參考US EPA 3052: 1996·以感應耦合電漿發射光譜儀分析。(With reference to US EPA 3052: 1996, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	n.d.	-
六溴環十二烷及所有主要被辨別出的異構物 (HBCDD) (α - HBCDD, β - HBCDD, γ - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α - HBCDD, β - HBCDD, γ - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	參考IEC 62321: 2008 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5		n.d.	1
全氟辛烷磺酸及其鹽類 (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	參考CEN/TS 15968: 2010.以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01		n.d.	-
全氟辛酸及其鹽類 (PFOA and its salts) (CAS No.: 335-67-1 and its salts)	參考CEN/TS 15968: 2010 · 以液相層析串 聯質譜儀分析。(With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01		n.d.	-



Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 6 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

測試項目	測試方法	單位	MDL 結果		限值	
(Test Items)	(Method)	(Unit)		(Result)		(Limit)
				No.1	No.2	
多環芳香烴 (Polycyclic Aromatic						
Hydrocarbons) (PAHs)						
苯駢(a)芘 (Benzo[a]pyrene) (CAS No.: 50-32-8)		mg/kg	0.2	n.d.	n.d.	-
苯駢(e)芘 (Benzo[e]pyrene) (CAS No.: 192-97-2)		mg/kg	0.2	n.d.	n.d.	-
苯駢蒽 (Benzo[a]anthracene) (CAS No.: 56-55-3)		mg/kg	0.2	n.d.	n.d.	-
苯(b)苯駢芴 (Benzo[b]fluoranthene) (CAS No.: 205-99-2)		mg/kg	0.2	n.d.	n.d.	-
苯(j)苯駢芴 (Benzo[j]fluoranthene) (CAS No.: 205-82-3)		mg/kg	0.2	n.d.	n.d.	-
苯(k)苯駢芴 (Benzo[k]fluoranthene) (CAS No.: 207-08-9)	 参考AfPS GS 2019:01 PAK・以氣相層析儀/	mg/kg	0.2	n.d.	n.d.	-
菌 (Chrysene) (CAS No.: 218-01-9)	質譜儀分析。(With reference to AfPS GS	mg/kg	0.2	n.d.	n.d.	-
二苯駢蒽 (Dibenzo[a,h]anthracene) (CAS No.: 53-70-3)	2019:01 PAK, analysis was performed by GC/MS.)	mg/kg	0.2	n.d.	n.d.	-
苯駢芘 (Benzo[g,h,i]perylene) (CAS No.: 191-24-2)		mg/kg	0.2	n.d.	n.d.	-
茚酮芘 (Indeno[1,2,3-c,d]pyrene) (CAS No.: 193-39-5)		mg/kg	0.2	n.d.	n.d.	-
蒽 (Anthracene) (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	n.d.	-
苯駢芴 (Fluoranthene) (CAS No.: 206- 44-0)		mg/kg	0.2	n.d.	n.d.	-
菲 (Phenanthrene) (CAS No.: 85-01-8)		mg/kg	0.2	n.d.	n.d.	
芘 (Pyrene) (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	n.d.	-
萘 (Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	n.d.	-
多環芳香烴15項總和 (Sum of 15 PAHs)		mg/kg	-	n.d.	n.d.	Δ



Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 7 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 符合性結果之判定係以測試結果與限值做比較。(The statement of compliance conformity is based on comparison of testing results and limits.)



Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 8 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

△ 德國產品安全委員會(AfPS): GS PAHs 要求

AfPS (German commission for Product Safety): GS PAHs requirements

第1類(Category 1)	第 2 類(Cate	gory 2)	第3類(Cate	egory 3)
時間接觸皮膚(超過 30 秒) 的 2009/48/EC 定義的玩具	可預見與皮膚接觸 皮膚接觸)或重複的 (Materials that are Category 1, with in foreseeable long-t contact (> 30 seco short-term repetit with the skin) a. 供 14 歲以下兒童 使用的產品(Use by children under	動 30 秒(長期 短時間接觸 not in ntended or term skin onds) or ive contact b. 其它產品 (Other consumer	並意圖或可預見與 過 30 秒(短期皮膚 觸)(Materials not Category 1 or 2, or foreseeable sh contact (≦ 30 sec a. 供 14 歳以下兒童 使用的產品(Use by children	皮膚接觸不超 接 covered by with intended nort-term skin conds)) b. 其它產品 (Other consumer
< 1		(products)		products)
· -				
< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
< 0.2	< 0.2	< 0.5	< 0.5	< 1
< 0.2	< 0.2	< 0.5	< 0.5	< 1
< 0.2	< 0.2	< 0.5	< 0.5	< 1
< 0.2	< 0.2	< 0.5	< 0.5	< 1
< 0.2	< 0.2	< 0.5	< 0.5	< 1
< 0.2	< 0.2	< 0.5	< 0.5	< 1
< 0.2	< 0.2	< 0.5	< 0.5	< 1
< 0.2	< 0.2	< 0.5	< 0.5	< 1
< 0.2		< 0.5		< 1
< 0.2	< 0.2	< 0.5	< 0.5	< 1
<1	< 5	< 10	< 20	< 50
	意圖放入口中的材料或者長時間接觸皮膚(超過 30 秒)的 2009/48/EC 定義的玩具材料和 3 歲以下兒童使用的產品(Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3 years of age with intended long-term skin contact (> 30 seconds)) < 1 < 1 Sum < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2 < 0.2	意圖放入口中的材料或者長時間接觸皮膚(超過 30 秒)的 2009/48/EC 定義的玩具材料和 3 歲以下兒童使用的產品(Materials in toys (Directive 2009/48/EC) or articles for children up to 3 years of age with intended long-term skin contact (> 30 seconds))	意圖放入口中的材料或者長時間接觸皮膚(超過 30 秒)的 2009/48/EC 定義的玩具材料和 3 歲以下兒童使用的產品(Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3 years of age with intended long-term skin contact (> 30 seconds))	意圖放入口中的材料或者長 時間接觸皮膚(超過 30 秒) 的 2009/48/EC 定義的玩具 皮膚接觸)或重複的短時間接觸

單位(Unit): mg/kg



Test Report


號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 9 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)






Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 10 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs






測試報告 Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 11 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】






Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 12 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

鹵素分析流程圖 / Analytical flow chart - Halogen






Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 13 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

多環芳香烴分析流程圖 / Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)





Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 14 of 17


億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【参考方法/Reference method: US EPA 3051、US EPA 3052】



* US EPA 3051 方法未添加氫氟酸 / US EPA 3051 method does not add HF.




Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 15 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD






Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 16 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

全氟辛酸/全氟辛烷磺酸分析流程圖 / Analytical flow chart - PFOA/PFOS






Test Report

號碼(No.): ETR20B00909 日期(Date): 16-Nov-2020 頁數(Page): 17 of 17


億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR20B00909 NO.1



ETR20B00909 NO.2



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan