

## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 1 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by the applicant as):

| ,                                    |   |
|--------------------------------------|---|
| BASIC INFORMATION                    |   |
| Type of Product                      | IRM   |
| Supplier Company Name                | EVERLIGHT   |
| Address                              | NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN |
| Tel / Fax / Email                    | TEL:886-2685-6688   |
|                                      | FAX:886-2685-6699   |
|                                      | E-MAIL: allenchiang@everlight.com                                 |
| Contact Person                       | Allen   |
| EVERLIGHT REPORT NO                  | EVERLIGHT-IRM-Hxxx/Vxxx SERIES(PCB)                               |
|                                      | Sampling Product: IRM-H538M3-SGS-12-Jul-2023                      |
| PRODUCT INFORMATION                  |   |
| Product/component Sample description | Receiver  |
| Quantity (numbers or weight)         | 0.0848 g  |
| EVERLIGHT P/N                        | IRM-Hxxx/Vxxx SERIES(PCB)   |
|                                      | Sampling Product : IRM-H538M3                                     |
| Product Lot No                       | Y23060V5082N16X   |
| Country of Origin                    | CHINA   |
| TEST INFORMATION                     |   |
| Sample preparation                   | CUTTING   |
| Test Method                          | RoHS: IEC 62321, Halogen: BS EN 14582                             |
| MDL                                  | Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg       |
|                                      | •   |

送樣廠商(Sample Submitted By) : 億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.)

收件日(Sample Receiving Date) : 30-Jun-2023

測試期間(Testing Period) : 30-Jun-2023 to 12-Jul-2023

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages).

Troy Chang / Department Malager
Signed for and on behalf of SGS TAIWAN LTD.
Chemical Laboratory - Taipei



PIN CODE: 1E4F5CD4



## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 2 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### 測試需求(Test Requested)

- (1) 依據客戶指定、參考RoHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測 試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP。 (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)
- (2) 依據客戶指定‧測試 PAHs 及其他測項。 (As specified by client, to test PAHs and other item(s).)

#### 結 論(Conclusion)

- (1) 根據客戶所提供的樣品·其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求。 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)
- (2) 根據客戶所提供的樣品·多環芳香烴測試結果符合德國產品安全委員會(AfPS) GS PAHs第 3 類「其它產品」之限值要求。(Based upon the performed tests on the submitted sample(s), the test results of PAHs (15 items) comply with the limits of PAHs requirement (Category 3)「Other consumer products」 as set by German Committee on Product Safety (AfPS) GS PAHs.)

#### 測試部位敘述 (Test Part Description)

No.1 : 本體 (BODY)

#### 測試結果 (Test Results)

| 測試項目                  | 測試方法   |       | MDL | 結果       | 限值      |
|-----------------------|--|-------|-----|----------|---------|
| (Test Items)          | (Method)   |       |     | (Result) | (Limit) |
|                       |  |       |     | No.1     |         |
| 鎘 (Cd) (Cadmium (Cd)) | 參考IEC 62321-5: 2013 · 以感應耦合電漿發射<br>光譜儀分析。(With reference to IEC 62321-5: |       | 2   | n.d.     | 100     |
| 鉛 (Pb) (Lead (Pb))    | 2013, analysis was performed by ICP-OES.)                                | mg/kg | 2   | n.d.     | 1000    |



## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 3 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| 測試項目<br>(Test Items)                       | 測試方法<br>(Method)   |        | MDL | 結果<br>(Result) | 限值<br>(Limit) |
|--|--|--------|-----|----------------|---------------|
| (**************************************    | ()   | (Unit) |     | No.1           | (=,           |
| 汞 (Hg) (Mercury (Hg))                      | 參考IEC 62321-4: 2013+ AMD1: 2017·以感應耦合電漿發射光譜儀分析。(With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis was performed by ICP-OES.) | mg/kg  | 2   | n.d.           | 1000          |
| 六價鉻 Cr(VI) (Hexavalent Chromium<br>Cr(VI)) | 參考IEC 62321-7-2: 2017·以紫外光-可見光分光光度計分析。(With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)                     | mg/kg  | 8   | n.d.           | 1000          |
| 一溴聯苯 (Monobromobiphenyl)                   |  | mg/kg  | 5   | n.d.           | -             |
| 二溴聯苯 (Dibromobiphenyl)                     |  | mg/kg  | 5   | n.d.           | -             |
| 三溴聯苯 (Tribromobiphenyl)                    |  | mg/kg  | 5   | n.d.           | -             |
| 四溴聯苯 (Tetrabromobiphenyl)                  |  | mg/kg  | 5   | n.d.           | -             |
| 五溴聯苯 (Pentabromobiphenyl)                  |  | mg/kg  | 5   | n.d.           | -             |
| 六溴聯苯 (Hexabromobiphenyl)                   |  | mg/kg  | 5   | n.d.           | -             |
| 七溴聯苯 (Heptabromobiphenyl)                  |  | mg/kg  | 5   | n.d.           | -             |
| 八溴聯苯 (Octabromobiphenyl)                   |  | mg/kg  | 5   | n.d.           | -             |
| 九溴聯苯 (Nonabromobiphenyl)                   |  | mg/kg  | 5   | n.d.           | -             |
| 十溴聯苯 (Decabromobiphenyl)                   | ┃<br>┃<br>┃  | mg/kg  | 5   | n.d.           | -             |
| 多溴聯苯總和 (Sum of PBBs)                       | 参与IEC 62321-6. 2015・以報相層研議/真韻<br>儀分析。(With reference to IEC 62321-6:<br>2015, analysis was performed by GC/MS.)                      | mg/kg  | 1   | n.d.           | 1000          |
| 一溴聯苯醚 (Monobromodiphenyl ether)            |  | mg/kg  | 5   | n.d.           | -             |
| 二溴聯苯醚 (Dibromodiphenyl ether)              | 2015, undivisis was performed by Ge, wis.,   | mg/kg  | 5   | n.d.           | -             |
| 三溴聯苯醚 (Tribromodiphenyl ether)             |  | mg/kg  | 5   | n.d.           | -             |
| 四溴聯苯醚 (Tetrabromodiphenyl ether)           |  | mg/kg  | 5   | n.d.           | -             |
| 五溴聯苯醚 (Pentabromodiphenyl ether)           |  | mg/kg  | 5   | n.d.           | -             |
| 六溴聯苯醚 (Hexabromodiphenyl ether)            |  | mg/kg  | 5   | n.d.           | -             |
| 七溴聯苯醚 (Heptabromodiphenyl ether)           |  | mg/kg  | 5   | n.d.           | -             |
| 八溴聯苯醚 (Octabromodiphenyl ether)            |  | mg/kg  | 5   | n.d.           | -             |
| 九溴聯苯醚 (Nonabromodiphenyl ether)            |  | mg/kg  | 5   | n.d.           | -             |
| 十溴聯苯醚 (Decabromodiphenyl ether)            | ]  | mg/kg  | 5   | n.d.           | -             |
| 多溴聯苯醚總和 (Sum of PBDEs)                     |  | mg/kg  | -   | n.d.           | 1000          |



## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 4 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| 測試項目<br>(Test Items)   | 測試方法<br>(Method)  |       | MDL | 結果<br>(Result)<br>No.1 | 限值<br>(Limit) |
|--|---|-------|-----|------------------------|---------------|
| 鄰苯二甲酸丁苯甲酯 (BBP) (Butyl benzyl phthalate (BBP))   | 參考IEC 62321-8: 2017 · 以氣相層析儀/質譜<br>儀分析。(With reference to IEC 62321-8:<br>2017, analysis was performed by GC/MS.) | mg/kg | 50  | n.d.                   | 1000          |
| 鄰苯二甲酸二丁酯 (DBP) (Dibutyl phthalate (DBP))   | 參考IEC 62321-8: 2017 · 以氣相層析儀/質譜<br>儀分析。(With reference to IEC 62321-8:<br>2017, analysis was performed by GC/MS.) | mg/kg | 50  | n.d.                   | 1000          |
| 鄰苯二甲酸二(2-乙基己基)酯 (DEHP) (Di-(2-ethylhexyl) phthalate (DEHP))                            | 參考IEC 62321-8: 2017 · 以氣相層析儀/質譜儀分析。(With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)        | mg/kg | 50  | n.d.                   | 1000          |
| 鄰苯二甲酸二異丁酯 (DIBP) (Diisobutyl phthalate (DIBP))   | 參考IEC 62321-8: 2017·以氣相層析儀/質譜<br>儀分析。(With reference to IEC 62321-8:<br>2017, analysis was performed by GC/MS.)   | mg/kg | 50  | n.d.                   | 1000          |
| 鄰苯二甲酸二異癸酯 (DIDP) (Diisodecyl<br>phthalate (DIDP)) (CAS No.: 26761-40-0,<br>68515-49-1) | 參考IEC 62321-8: 2017·以氣相層析儀/質譜<br>儀分析。(With reference to IEC 62321-8:<br>2017, analysis was performed by GC/MS.)   | mg/kg | 50  | n.d.                   | -             |
| 鄰苯二甲酸二異壬酯 (DINP) (Diisononyl<br>phthalate (DINP)) (CAS No.: 28553-12-0,<br>68515-48-0) | 參考IEC 62321-8: 2017·以氣相層析儀/質譜<br>儀分析。(With reference to IEC 62321-8:<br>2017, analysis was performed by GC/MS.)   | mg/kg | 50  | n.d.                   | -             |
| 鄰苯二甲酸二正辛酯 (DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0)                     | 參考IEC 62321-8: 2017·以氣相層析儀/質譜<br>儀分析。(With reference to IEC 62321-8:<br>2017, analysis was performed by GC/MS.)   | mg/kg | 50  | n.d.                   | -             |
| 鄰苯二甲酸二正戊酯 (DNPP) (Di-n-pentyl phthalate (DNPP)) (CAS No.: 131-18-0)                    | 參考IEC 62321-8: 2017·以氣相層析儀/質譜<br>儀分析。(With reference to IEC 62321-8:<br>2017, analysis was performed by GC/MS.)   | mg/kg | 50  | n.d.                   | -             |
| 鄰苯二甲酸二正己酯 (DNHP) (Di-n-hexyl phthalate (DNHP)) (CAS No.: 84-75-3)                      | 參考IEC 62321-8: 2017·以氣相層析儀/質譜<br>儀分析。(With reference to IEC 62321-8:<br>2017, analysis was performed by GC/MS.)   | mg/kg | 50  | n.d.                   | -             |
| 鄰苯二甲酸雙(2-甲氧基乙基)酯 (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8)     | 參考IEC 62321-8: 2017·以氣相層析儀/質譜<br>儀分析。(With reference to IEC 62321-8:<br>2017, analysis was performed by GC/MS.)   | mg/kg | 50  | n.d.                   | -             |
| 鄰苯二甲酸二甲酯 (DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11-3)                          | 參考IEC 62321-8: 2017.以氣相層析儀/質譜<br>儀分析。(With reference to IEC 62321-8:<br>2017, analysis was performed by GC/MS.)   | mg/kg | 50  | n.d.                   | -             |



## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 5 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| 測試項目  | 測試方法                                       |          | MDL  | 結果       | 限值      |
|---|--|----------|------|----------|---------|
| (Test Items)  | (Method)                                   | (Unit)   |      | (Result) | (Limit) |
|   |  |          |      | No.1     |         |
| 鄰苯二甲酸二異辛酯 (DIOP) (Diisooctyl  | 參考IEC 62321-8: 2017·以氣相層析儀/質譜              | mg/kg    | 50   | n.d.     | =-      |
| phthalate (DIOP)) (CAS No.: 27554-26-3)   | 儀分析。(With reference to IEC 62321-8:        |          |      |          |         |
|   | 2017, analysis was performed by GC/MS.)    |          |      |          |         |
| 鄰苯二甲酸二正壬酯 (DNNP) (Di-n-nonyl  | 參考IEC 62321-8: 2017 · 以氣相層析儀/質譜            | mg/kg    | 50   | n.d.     | -       |
| phthalate (DNNP)) (CAS No.: 84-76-4)  | 儀分析。(With reference to IEC 62321-8:        |          |      |          |         |
|   | 2017, analysis was performed by GC/MS.)    |          |      |          |         |
| 六溴環十二烷及所有主要被辨別出的異構物   | 參考IEC 62321: 2008·以氣相層析儀/質譜儀               | mg/kg    | 5    | n.d.     | -       |
| (HBCDD) (α- HBCDD, β- HBCDD)  | 分析。(With reference to IEC 62321: 2008,     |          |      |          |         |
| (Hexabromocyclododecane (HBCDD) and all   | analysis was performed by GC/MS.)          |          |      |          |         |
| major diastereoisomers identified ( $\alpha$ - HBCDD, $\beta$ - HBCDD, $\gamma$ - HBCDD)) (CAS No.: 25637-99-4, |  |          |      |          |         |
| 3194-55-6 (134237-51-7, 134237-50-6,  |  |          |      |          |         |
| 134237-52-8))   |  |          |      |          |         |
| 氟 (F) (Fluorine (F)) (CAS No.: 14762-94-8)  |  | mg/kg    | 50   | 545      | _       |
| (1) (1 doffile (1)) (CAS No.: 14702 54 0)   |  | mg/kg    | 30   | 3-3      |         |
| 氯 (CI) (Chlorine (CI)) (CAS No.: 22537-15-  | ↓<br>┃参考BS EN 14582: 2016·以離子層析儀分          | mg/kg    | 50   | 210      | _       |
| 1)  | 析。(With reference to BS EN 14582: 2016,    | mg/kg    | 30   | 210      |         |
| 溴 (Br) (Bromine (Br)) (CAS No.: 10097-32-   | analysis was performed by IC.)             | mg/kg    | 50   | n.d.     | _       |
| (2)   |  | 1119/119 | 30   | 11.0.    |         |
| 碘 (I) (Iodine (I)) (CAS No.: 14362-44-8)  |  | mg/kg    | 50   | n.d.     | _       |
| 全氟辛烷磺酸及其鹽類 (PFOS and its salts)   | 参考CEN/TS 15968: 2010 · 以液相層析串聯質            | mg/kg    | 0.01 | n.d.     | -       |
| (CAS No.: 1763-23-1 and its salts)  | 譜儀分析。(With reference to CEN/TS             | 9,9      | 0.01 |          |         |
|   | 15968: 2010, analysis was performed by     |          |      |          |         |
|   | LC/MS/MS.)                                 |          |      |          |         |
| 全氟辛酸及其鹽類 (PFOA and its salts)   | 參考CEN/TS 15968: 2010 · 以液相層析串聯質            | mg/kg    | 0.01 | n.d.     | -       |
| (CAS No.: 335-67-1 and its salts)   | 譜儀分析。(With reference to CEN/TS             | J. J     |      |          |         |
|   | 15968: 2010, analysis was performed by     |          |      |          |         |
|   | LC/MS/MS.)                                 |          |      |          |         |
| 鈹 (Be) (Beryllium (Be)) (CAS No.: 7440-41-  | 參考US EPA 3052: 1996·以感應耦合電漿發               | mg/kg    | 2    | n.d.     | -       |
| 7)  | 射光譜儀分析。(With reference to US EPA           |          |      |          |         |
|   | 3052: 1996, analysis was performed by ICP- |          |      |          |         |
|   | OES.)                                      |          |      |          |         |



## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 6 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

| 測試項目  | 測試方法   | 單位     | MDL | 結果       | 限值      |
|---|--|--------|-----|----------|---------|
| (Test Items)  | (Method)                                       | (Unit) |     | (Result) | (Limit) |
|   |  |        |     | No.1     |         |
| 多環芳香烴 (Polycyclic Aromatic                            |  |        |     |          |         |
| Hydrocarbons) (PAHs)                                  |  |        |     |          |         |
| 苯駢(a)芘 (Benzo[a]pyrene) (CAS No.: 50-32-8)            |  | mg/kg  | 0.2 | n.d.     | Δ       |
| 苯駢(e)芘 (Benzo[e]pyrene) (CAS No.: 192-97-<br>2)       |  | mg/kg  | 0.2 | n.d.     | Δ       |
| 苯駢蒽 (Benzo[a]anthracene) (CAS No.: 56-55-3)           |  | mg/kg  | 0.2 | n.d.     | Δ       |
| 苯(b)苯駢芴 (Benzo[b]fluoranthene) (CAS No.: 205-99-2)    |  | mg/kg  | 0.2 | n.d.     | Δ       |
| 苯(j)苯駢芴 (Benzo[j]fluoranthene) (CAS No.:<br>205-82-3) |  | mg/kg  | 0.2 | n.d.     | Δ       |
| 苯(k)苯駢芴 (Benzo[k]fluoranthene) (CAS No.: 207-08-9)    | 参考AfPS GS 2019:01 PAK·以氣相層析儀/質                 | mg/kg  | 0.2 | n.d.     | Δ       |
| 菌 (Chrysene) (CAS No.: 218-01-9)                      | 譜儀分析。(With reference to AfPS GS                | mg/kg  | 0.2 | n.d.     | Δ       |
| 二苯駢蒽 (Dibenzo[a,h]anthracene) (CAS No.:<br>53-70-3)   | 2019:01 PAK, analysis was performed by GC/MS.) | mg/kg  | 0.2 | n.d.     | Δ       |
| 苯駢芘 (Benzo[g,h,i]perylene) (CAS No.: 191-<br>24-2)    |  | mg/kg  | 0.2 | n.d.     | Δ       |
| 茚酮芘 (Indeno[1,2,3-c,d]pyrene) (CAS No.:<br>193-39-5)  |  | mg/kg  | 0.2 | n.d.     | Δ       |
| 蔥 (Anthracene) (CAS No.: 120-12-7)                    |  | mg/kg  | 0.2 | n.d.     | Δ       |
| 苯駢芴 (Fluoranthene) (CAS No.: 206-44-0)                |  | mg/kg  | 0.2 | n.d.     | Δ       |
| 菲 (Phenanthrene) (CAS No.: 85-01-8)                   |  | mg/kg  | 0.2 | n.d.     | Δ       |
| 芘 (Pyrene) (CAS No.: 129-00-0)                        |  | mg/kg  | 0.2 | n.d.     | Δ       |
| 萘 (Naphthalene) (CAS No.: 91-20-3)                    |  | mg/kg  | 0.2 | n.d.     | Δ       |
| 多環芳香烴15項總和 (Sum of 15 PAHs)                           |  | mg/kg  | -   | n.d.     | Δ       |



## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 7 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 0.1% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 全氟辛烷磺酸及其鹽類包含等物質 (PFOS and its salts including): CAS No.: 1763-23-1, 2795-39-3, 29457-72-5, 29081-56-9, 70225-14-8, 56773-42-3, 251099-16-8, 307-35-7, 91036-71-4, 4021-47-0 and others.
- 6. 全氟辛酸及其鹽類包含等物質 (PFOA and its salts including): CAS No.: 335-67-1, 335-95-5, 2395-00-8, 335-93-3, 335-66-0, 3825-26-1 and others.
- 7. 除非另有說明,參照ILAC-G8:09/2019,採用簡單二元(w=0)允收規則進行符合性判定;根據此規則,符合性結果之判定係以測試結果與限值做比較。(Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 8 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### Remark:

△ 德國產品安全委員會(AfPS): GS PAHs 要求 AfPS (German commission for Product Safety): GS PAHs requirements

|                                 | 第 1 類(Category 1)   | 第 2 類(Category 2)  |            | 第 3 類(Category 3)  |            |  |
|---------------------------------|---|--|------------|--|------------|--|
| 項目<br>(Parameter)               | 意圖放入口中的材料或者長時間接觸皮膚(超過 30 秒)的2009/48/EC 定義的玩具材料和 3 歲以下兒童使用的產品(Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3 | 不屬於第 1 類的材料·並意圖或可預見與皮膚接觸逾 30 秒(長期皮膚接觸)或重複的短時間接觸(Materials that are not in Category 1, with intended or foreseeable long-term |            | 不屬於第 1 類或第 2 類的材料·並意<br>圖或可預見與皮膚接觸不超過 30 秒<br>(短期皮膚接觸)(Materials not<br>covered by Category 1 or 2, with |            |  |
|                                 | years of age with intended<br>long-term skin contact (> 30<br>seconds))   | a.<br>供 14 歲以下兒童使<br>用的產品(Use by<br>children under 14)   | consumer   | a.<br>供 14 歲以下兒童使<br>用的產品(Use by<br>children under 14)   | consumer   |  |
| Naphthalene                     | < 1   | < 2  |            | < 10   |            |  |
| Phenanthrene                    |   |  |            |  |            |  |
| Anthracene                      | < 1 Sum   | < 5 Sum  | < 10 Sum   | < 20 Sum   | < 50 Sum   |  |
| Fluoranthene                    | \ 1 3diii   | \ 3 Sulli  | \ 10 Julii | \ 20 Julii   | < 50 Suiti |  |
| Pyrene                          |   |  |            |  |            |  |
| Benzo[a]anthracene              | < 0.2   | < 0.2  | < 0.5      | < 0.5  | < 1        |  |
| Chrysene                        | < 0.2   | < 0.2  | < 0.5      | < 0.5  | < 1        |  |
| Benzo[b]fluoranthene            | < 0.2   | < 0.2  | < 0.5      | < 0.5  | < 1        |  |
| Benzo[j]fluoranthene            | < 0.2   | < 0.2  | < 0.5      | < 0.5  | < 1        |  |
| Benzo[k]fluoranthene            | < 0.2   | < 0.2  | < 0.5      | < 0.5  | < 1        |  |
| Benzo[a]pyrene                  | < 0.2   | < 0.2  | < 0.5      | < 0.5  | < 1        |  |
| Benzo[e]pyrene                  | < 0.2   | < 0.2  | < 0.5      | < 0.5  | < 1        |  |
| Indeno[1,2,3-c,d] pyrene        | < 0.2   | < 0.2  | < 0.5      | < 0.5  | < 1        |  |
| Dibenzo[a,h]anthracene          | < 0.2   | < 0.2  | < 0.5      | < 0.5  | < 1        |  |
| Benzo[g,h,i]perylene            | < 0.2   | < 0.2  | < 0.5      | < 0.5  | < 1        |  |
| 15 項 PAH 總濃度<br>(Sum of 15 PAH) | < 1   | < 5  | < 10       | < 20   | < 50       |  |

單位(Unit):mg/kg



## **Test Report**


號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 9 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### 重金屬流程圖 / Analytical flow chart of heavy metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. ( $Cr^{6+}$  test method excluded)






## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 10 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### 多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBBs/PBDEs





## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 11 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

可塑劑分析流程圖 / Analytical flow chart - Phthalate

【測試方法/Test method: IEC 62321-8】

樣品前處理/分樣 / Sample pretreatment/separation

樣品以 THF 四氫呋喃溶解萃取 / Sample dissolved/extracted by THF

萃取液稀釋 / Dilute extracted solution

氣相層析質譜儀分析 / Analysis was performed by GC/MS




## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 12 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### 六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD






## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 13 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### 鹵素分析流程圖 / Analytical flow chart - Halogen






## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 14 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

全氟化合物(包含全氟辛酸/全氟辛烷磺酸/其相關化合物等等)分析流程圖 / Analytical flow chart – PFAS (including PFOA/PFOS/its related compound, etc.)






## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 15 of 17

億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

# 多環芳香烴分析流程圖 / Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)





## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 16 of 17


億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### 元素(含重金屬)分析流程圖 / Analytical flow chart of elements (Heavy metal included)

根據以下的流程圖之條件,樣品已完全溶解。

These samples were dissolved totally by pre-conditioning method according to below flow chart.

【參考方法/Reference method: US EPA 3051A、US EPA 3052】



\* US EPA 3051A 方法未添加氫氟酸 / US EPA 3051A method does not add HF.



## **Test Report**

號碼(No.): ETR23605638 日期(Date): 12-Jul-2023 頁數(Page): 17 of 17


億光電子工業股份有限公司 (EVERLIGHT ELECTRONICS CO., LTD.) 新北市樹林區中華路6-8號 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

\* 照片中如有箭頭標示·則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

#### ETR23605638



#### ETR23605638



\*\* 報告結尾 (End of Report) \*\*