

Certificate of Compliance

Certificate Number:

UL-US-L214129-31-
72201002-8

Report Reference:

E214129-20010227

Issue Date:

2024-08-31

Issued to:

EVERLIGHT ELECTRONICS CO LTD
6-8 ZHONGHUA RD SHULIN DISTRICT NEW TAIPEI 23860
Taiwan

This certificate confirms that representative samples of:
FPQU2 - Optical Isolators - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 1577, Edition 5, Issue Date 2014-04-25, Revision Date 2023-07-06

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-72201002-8
Report reference E214129-20010227
Date 2024-08-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
4N	Double protection optical isolators, providing 5000 vac isolation
4N29	Double protection optical isolators, providing 5000 vac isolation
4N30	Double protection optical isolators, providing 5000 vac isolation
4N31	Double protection optical isolators, providing 5000 vac isolation
4N32	Double protection optical isolators, providing 5000 vac isolation
4N33	Double protection optical isolators, providing 5000 vac isolation
817	Double protection optical isolators, providing 5000 vac isolation
CNX3, "X" may be any letters or numbers.	Double protection optical isolators, providing 5000 vac isolation
CNY17	Double protection optical isolators, providing 5000 vac isolation
CNY75	Double protection optical isolators, providing 5000 vac isolation
CQY80	Double protection optical isolators, providing 5000 vac isolation
EL101	Double protection optical isolators, providing 5000 vac isolation
EL101L	Double protection optical isolators, providing 5000 vac isolation
EL101U	Double protection optical isolators, providing 5000 vac isolation
EL101XH, "X" may be 0 to 9	Double protection optical isolators, providing 5000 vac isolation
EL10XX, "X" may be 0 to 9	Double protection optical isolators, providing 5000 vac isolation
EL111	Double protection optical isolators, providing 5000 vac isolation
EL121	Double protection optical isolators, providing 3750 Vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-72201002-8
Report reference E214129-20010227
Date 2024-08-31

EL121N	Double protection optical isolators, providing 3750 Vac isolation
EL124	Double protection optical isolators, providing 3750 Vac isolation
EL124N	Double protection optical isolators, providing 3750 Vac isolation
EL151	Double protection optical isolators, providing 5000 vac isolation
EL161	Double protection optical isolators, providing 5000 vac isolation
EL205	Double protection optical isolators, providing 3750 Vac isolation
EL206	Double protection optical isolators, providing 3750 Vac isolation
EL207	Double protection optical isolators, providing 3750 Vac isolation
EL208	Double protection optical isolators, providing 3750 Vac isolation
EL211	Double protection optical isolators, providing 3750 Vac isolation
EL212	Double protection optical isolators, providing 3750 Vac isolation
EL213	Double protection optical isolators, providing 3750 Vac isolation
EL215	Double protection optical isolators, providing 3750 Vac isolation
EL216	Double protection optical isolators, providing 3750 Vac isolation
EL217	Double protection optical isolators, providing 3750 Vac isolation
EL2501	Double protection optical isolators, providing 5000 vac isolation
EL2514	Double protection optical isolators, providing 5000 vac isolation
EL2561	Double protection optical isolators, providing 5000 vac isolation
EL2701	Double protection optical isolators, providing 3750 Vac isolation
EL2701N	Double protection optical isolators, providing 3750 Vac isolation
EL2705	Double protection optical isolators, providing 3750 Vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-72201002-8
Report reference E214129-20010227
Date 2024-08-31

EL2705N	Double protection optical isolators, providing 3750 Vac isolation
EL280	Double protection optical isolators, providing 3750 Vac isolation
EL2801	Double protection optical isolators, providing 3750 Vac isolation
EL281	Double protection optical isolators, providing 3750 Vac isolation
EL2X14, "X" may be any letters or numbers.	Double protection optical isolators at 5000 Vac isolation voltage
EL3010	Double protection optical isolators, providing 5000 vac isolation
EL3011	Double protection optical isolators, providing 5000 vac isolation
EL3012	Double protection optical isolators, providing 5000 vac isolation
EL3013	Double protection optical isolators, providing 5000 vac isolation
EL3014	Double protection optical isolators, providing 5000 vac isolation
EL3020	Double protection optical isolators, providing 5000 vac isolation
EL3021	Double protection optical isolators, providing 5000 vac isolation
EL3022	Double protection optical isolators, providing 5000 vac isolation
EL3023	Double protection optical isolators, providing 5000 vac isolation
EL3024	Double protection optical isolators, providing 5000 vac isolation
EL3030	Double protection optical isolators, providing 5000 vac isolation
EL3031	Double protection optical isolators, providing 5000 vac isolation
EL3032	Double protection optical isolators, providing 5000 vac isolation
EL3033	Double protection optical isolators, providing 5000 vac isolation
EL3034	Double protection optical isolators, providing 5000 vac isolation
EL3040	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-72201002-8
Report reference E214129-20010227
Date 2024-08-31

EL3041	Double protection optical isolators, providing 5000 vac isolation
EL3042	Double protection optical isolators, providing 5000 vac isolation
EL3043	Double protection optical isolators, providing 5000 vac isolation
EL3044	Double protection optical isolators, providing 5000 vac isolation
EL3050	Double protection optical isolators, providing 5000 vac isolation
EL3051	Double protection optical isolators, providing 5000 vac isolation
EL3052	Double protection optical isolators, providing 5000 vac isolation
EL3053	Double protection optical isolators, providing 5000 vac isolation
EL3054	Double protection optical isolators, providing 5000 vac isolation
EL3060	Double protection optical isolators, providing 5000 vac isolation
EL3061	Double protection optical isolators, providing 5000 vac isolation
EL3062	Double protection optical isolators, providing 5000 vac isolation
EL3063	Double protection optical isolators, providing 5000 vac isolation
EL3064	Double protection optical isolators, providing 5000 vac isolation
EL3070	Double protection optical isolators, providing 5000 vac isolation
EL3071	Double protection optical isolators, providing 5000 vac isolation
EL3072	Double protection optical isolators, providing 5000 vac isolation
EL3073	Double protection optical isolators, providing 5000 vac isolation
EL3074	Double protection optical isolators, providing 5000 vac isolation
EL3080	Double protection optical isolators, providing 5000 vac isolation
EL3081	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-72201002-8
Report reference E214129-20010227
Date 2024-08-31

EL3082	Double protection optical isolators, providing 5000 vac isolation
EL3083	Double protection optical isolators, providing 5000 vac isolation
EL3084	Double protection optical isolators, providing 5000 vac isolation
EL3161	Double protection optical isolators, providing 5000 vac isolation
EL3162	Double protection optical isolators, providing 5000 vac isolation
EL3163	Double protection optical isolators, providing 5000 vac isolation
EL354	Double protection optical isolators, providing 3750 Vac isolation
EL354L	Double protection optical isolators, providing 5000 vac isolation
EL354N	Double protection optical isolators, providing 3750 Vac isolation
EL354NU	Double protection optical isolators, providing 3750 vac isolation
EL355	Double protection optical isolators, providing 3750 Vac isolation
EL355L	Double protection optical isolators, providing 5000 vac isolation
EL356	Double protection optical isolators, providing 3750 Vac isolation
EL356N	Double protection optical isolators, providing 3750 Vac isolation
EL357	Double protection optical isolators, providing 3750 Vac isolation
EL3571N	Double protection optical isolators, providing 3750 vac isolation
EL357L	Double protection optical isolators, providing 5000 vac isolation
EL357N	Double protection optical isolators, providing 3750 Vac isolation
EL357NH	Double protection optical isolators, providing 3750 vac isolation
EL357NL	Double protection optical isolators, providing 3750 vac isolation
EL357NU	Double protection optical isolators, providing 3750 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-72201002-8
Report reference E214129-20010227
Date 2024-08-31

EL359	Double protection optical isolators, providing 3750 Vac isolation
EL35XN, "X" may be any letters or numbers	Double protection optical isolators at 3750 Vac isolation voltage
EL3H4	Double protection optical isolators, providing 3750 Vac isolation
EL3H4U	Double protection optical isolators, providing 3750 vac isolation
EL3H5	Double protection optical isolators at 3750 Vac isolation voltage
EL3H7	Double protection optical isolators, providing 3750 Vac isolation
EL3H71	Double protection optical isolators, providing 3750 Vac isolation
EL3H7H	Double protection optical isolators, providing 3750 vac isolation
EL3H7L	Double protection optical isolators, providing 3750 vac isolation
EL3H7U	Double protection optical isolators, providing 3750 vac isolation
EL3HX, "X" may be any letters or numbers	Double protection optical isolators at 3750 Vac isolation voltage
EL610	Double protection optical isolators, providing 5000 vac isolation
EL617	Double protection optical isolators, providing 5000 vac isolation
EL717	Double protection optical isolators, providing 5000 vac isolation
EL727	Double protection optical isolators, providing 5000 vac isolation
EL78X0, "X" may be any letters or numbers.	Double protection optical isolators at 5000 Vac isolation voltage
EL7X7, "X" may be 0 to 9	Double Protection Optical isolators
EL814	Double protection optical isolators, providing 5000 vac isolation
EL815	Double protection optical isolators, providing 5000 vac isolation
EL816	Double protection optical isolators, providing 5000 vac isolation
EL817	Double protection optical isolators, providing 5000 vac isolation
EL8171	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-72201002-8
Report reference E214129-20010227
Date 2024-08-31

EL817H	Double protection optical isolators, providing 5000 vac isolation
EL817L	Double protection optical isolators, providing 5000 vac isolation
EL819	Double protection optical isolators, providing 5000 vac isolation
EL824	Double protection optical isolators, providing 5000 vac isolation
EL825	Double protection optical isolators, providing 5000 vac isolation
EL826	Double protection optical isolators, providing 5000 vac isolation
EL827	Double protection optical isolators, providing 5000 vac isolation
EL829	Double protection optical isolators, providing 5000 vac isolation
EL844	Double protection optical isolators, providing 5000 vac isolation
EL845	Double protection optical isolators, providing 5000 vac isolation
EL847	Double protection optical isolators, providing 5000 vac isolation
EL8X4, "X" may be 0 to 9	Double Protection Optical isolators
EL8X5, "X" may be 0 to 9	Double Protection Optical isolators
EL8X6, "X" may be 0 to 9	Double Protection Optical isolators
EL8X7, "X" may be 0 to 9	Double Protection Optical isolators
EL8X9, "X" may be 0 to 9.	Double Protection Optical isolators
EL9001	Double protection optical isolators, providing 5000 vac isolation
ELC10X, "X" may be 0 to 9. May be followed by any letters or numbers.	Double protection optical isolators at 5000 Vac isolation voltage
ELC35XN, "X" may be any letters or numbers.	Double protection optical isolators at 3750 Vac isolation voltage
ELC3HX, "X" may be any letters or numbers.	Double protection optical isolators at 3750 Vac isolation voltage
ELD205	Double protection optical isolators, providing 3750 Vac isolation
ELD206	Double protection optical isolators, providing 3750 Vac isolation
ELD207	Double protection optical isolators, providing 3750 Vac isolation
ELD208	Double protection optical isolators, providing 3750 Vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-72201002-8
Report reference E214129-20010227
Date 2024-08-31

ELD211	Double protection optical isolators, providing 3750 Vac isolation
ELD213	Double protection optical isolators, providing 3750 Vac isolation
ELD217	Double protection optical isolators, providing 3750 Vac isolation
ELD3H4	Double protection optical isolators, providing 3750 Vac isolation
ELD3H5	Double protection optical isolators, providing 3750 Vac isolation
ELD3H6	Double protection optical isolators, providing 3750 Vac isolation
ELD3H7	Double protection optical isolators, providing 3750 Vac isolation
ELM4	Double protection optical isolators, providing 5000 vac isolation
ELM6	Double protection optical isolators, providing 5000 vac isolation
ELQ3H4	Double protection optical isolators, providing 3750 Vac isolation
ELQ3H5	Double protection optical isolators, providing 3750 Vac isolation
ELQ3H7	Double protection optical isolators, providing 3750 Vac isolation
EV101U	Double protection optical isolators, providing 3750 vac isolation
EV354NU	Double protection optical isolators, providing 3750 vac isolation
EV357NH	Double protection optical isolators, providing 3750 vac isolation
EV357NU	Double protection optical isolators, providing 3750 vac isolation
EV3H4U	Double protection optical isolators, providing 3750 vac isolation
EV3H7U	Double protection optical isolators, providing 3750 vac isolation
H11A	Double protection optical isolators, providing 5000 vac isolation
H11AA1	Double protection optical isolators, providing 5000 vac isolation
H11AA2	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-72201002-8
Report reference E214129-20010227
Date 2024-08-31

H11AA3	Double protection optical isolators, providing 5000 vac isolation
H11AA4	Double protection optical isolators, providing 5000 vac isolation
H11B1	Double protection optical isolators, providing 5000 vac isolation
H11B2	Double protection optical isolators, providing 5000 vac isolation
H11B255	Double protection optical isolators, providing 5000 vac isolation
H11B3	Double protection optical isolators, providing 5000 vac isolation
H11L1	Double protection optical isolators, providing 5000 vac isolation
H11L2	Double protection optical isolators, providing 5000 vac isolation
H11L3	Double protection optical isolators, providing 5000 vac isolation
HS817	Double protection optical isolators, providing 5000 vac isolation
K233	Double protection optical isolators, providing 5000 vac isolation
K817P	Double protection optical isolators, providing 5000 vac isolation
MCT2	Double protection optical isolators, providing 5000 vac isolation
MOC119	Double protection optical isolators, providing 5000 vac isolation
MOC8020	Double protection optical isolators, providing 5000 vac isolation
MOC8021	Double protection optical isolators, providing 5000 vac isolation
MOC8030	Double protection optical isolators, providing 5000 vac isolation
MOC8050	Double protection optical isolators, providing 5000 vac isolation
MOC8080	Double protection optical isolators, providing 5000 vac isolation
MOC810	Double protection optical isolators, providing 5000 vac isolation
MOC811	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-72201002-8
Report reference E214129-20010227
Date 2024-08-31

SL55	Double protection optical isolators, providing 5000 vac isolation
TCDT110	Double protection optical isolators, providing 5000 vac isolation
TCDT111	Double protection optical isolators, providing 5000 vac isolation
TCDT112	Double protection optical isolators, providing 5000 vac isolation
TCET110	Double protection optical isolators, providing 5000 vac isolation
TCET111	Double protection optical isolators, providing 5000 vac isolation
TCET120	Double protection optical isolators, providing 5000 vac isolation
TIL11	Double protection optical isolators, providing 5000 vac isolation
TIL113	Double protection optical isolators, providing 5000 vac isolation
VO610	Double protection optical isolators, providing 5000 vac isolation
VO610A	Double protection optical isolators, providing 5000 vac isolation
VO615A	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-CA-L214129-41-
72201002-9

Report Reference:

E214129-20010227

Issue Date:

2024-08-31

Issued to:

EVERLIGHT ELECTRONICS CO LTD
6-8 ZHONGHUA RD SHULIN DISTRICT NEW TAIPEI 23860
Taiwan

This certificate confirms that representative samples of:

FPQU8 - Optical Isolators Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA Component Acceptance Service Notice No. 5A, Issue Date:
1998-01-23

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-72201002-9
Report reference E214129-20010227
Date 2024-08-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
4N	Double protection optical isolators, providing 5000 vac isolation
4N29	Double protection optical isolators, providing 5000 vac isolation
4N30	Double protection optical isolators, providing 5000 vac isolation
4N31	Double protection optical isolators, providing 5000 vac isolation
4N32	Double protection optical isolators, providing 5000 vac isolation
4N33	Double protection optical isolators, providing 5000 vac isolation
817	Double protection optical isolators, providing 5000 vac isolation
CNX3, "X" may be any letters or numbers.	Double protection optical isolators, providing 5000 vac isolation
CNY17	Double protection optical isolators, providing 5000 vac isolation
CNY75	Double protection optical isolators, providing 5000 vac isolation
CQY80	Double protection optical isolators, providing 5000 vac isolation
EL101	Double protection optical isolators, providing 5000 vac isolation
EL101L	Double protection optical isolators, providing 5000 vac isolation
EL101U	Double protection optical isolators, providing 5000 vac isolation
EL101XH, "X" may be 0 to 9	Double protection optical isolators, providing 5000 vac isolation
EL10XX, "X" may be 0 to 9	Double protection optical isolators, providing 5000 vac isolation
EL111	Double protection optical isolators, providing 5000 vac isolation
EL121	Double protection optical isolators, providing 3750 Vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-72201002-9
Report reference E214129-20010227
Date 2024-08-31

EL121N	Double protection optical isolators, providing 3750 Vac isolation
EL124	Double protection optical isolators, providing 3750 Vac isolation
EL124N	Double protection optical isolators, providing 3750 Vac isolation
EL151	Double protection optical isolators, providing 5000 vac isolation
EL161	Double protection optical isolators, providing 5000 vac isolation
EL205	Double protection optical isolators, providing 3750 Vac isolation
EL206	Double protection optical isolators, providing 3750 Vac isolation
EL207	Double protection optical isolators, providing 3750 Vac isolation
EL208	Double protection optical isolators, providing 3750 Vac isolation
EL211	Double protection optical isolators, providing 3750 Vac isolation
EL212	Double protection optical isolators, providing 3750 Vac isolation
EL213	Double protection optical isolators, providing 3750 Vac isolation
EL215	Double protection optical isolators, providing 3750 Vac isolation
EL216	Double protection optical isolators, providing 3750 Vac isolation
EL217	Double protection optical isolators, providing 3750 Vac isolation
EL2501	Double protection optical isolators, providing 5000 vac isolation
EL2514	Double protection optical isolators, providing 5000 vac isolation
EL2561	Double protection optical isolators, providing 5000 vac isolation
EL2701	Double protection optical isolators, providing 3750 Vac isolation
EL2701N	Double protection optical isolators, providing 3750 Vac isolation
EL2705	Double protection optical isolators, providing 3750 Vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-72201002-9
Report reference E214129-20010227
Date 2024-08-31

EL2705N	Double protection optical isolators, providing 3750 Vac isolation
EL280	Double protection optical isolators, providing 3750 Vac isolation
EL2801	Double protection optical isolators, providing 3750 Vac isolation
EL281	Double protection optical isolators, providing 3750 Vac isolation
EL2X14, "X" may be any letters or numbers.	Double protection optical isolators at 5000 Vac isolation voltage
EL3010	Double protection optical isolators, providing 5000 vac isolation
EL3011	Double protection optical isolators, providing 5000 vac isolation
EL3012	Double protection optical isolators, providing 5000 vac isolation
EL3013	Double protection optical isolators, providing 5000 vac isolation
EL3014	Double protection optical isolators, providing 5000 vac isolation
EL3020	Double protection optical isolators, providing 5000 vac isolation
EL3021	Double protection optical isolators, providing 5000 vac isolation
EL3022	Double protection optical isolators, providing 5000 vac isolation
EL3023	Double protection optical isolators, providing 5000 vac isolation
EL3024	Double protection optical isolators, providing 5000 vac isolation
EL3030	Double protection optical isolators, providing 5000 vac isolation
EL3031	Double protection optical isolators, providing 5000 vac isolation
EL3032	Double protection optical isolators, providing 5000 vac isolation
EL3033	Double protection optical isolators, providing 5000 vac isolation
EL3034	Double protection optical isolators, providing 5000 vac isolation
EL3040	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-72201002-9
Report reference E214129-20010227
Date 2024-08-31

EL3041	Double protection optical isolators, providing 5000 vac isolation
EL3042	Double protection optical isolators, providing 5000 vac isolation
EL3043	Double protection optical isolators, providing 5000 vac isolation
EL3044	Double protection optical isolators, providing 5000 vac isolation
EL3050	Double protection optical isolators, providing 5000 vac isolation
EL3051	Double protection optical isolators, providing 5000 vac isolation
EL3052	Double protection optical isolators, providing 5000 vac isolation
EL3053	Double protection optical isolators, providing 5000 vac isolation
EL3054	Double protection optical isolators, providing 5000 vac isolation
EL3060	Double protection optical isolators, providing 5000 vac isolation
EL3061	Double protection optical isolators, providing 5000 vac isolation
EL3062	Double protection optical isolators, providing 5000 vac isolation
EL3063	Double protection optical isolators, providing 5000 vac isolation
EL3064	Double protection optical isolators, providing 5000 vac isolation
EL3070	Double protection optical isolators, providing 5000 vac isolation
EL3071	Double protection optical isolators, providing 5000 vac isolation
EL3072	Double protection optical isolators, providing 5000 vac isolation
EL3073	Double protection optical isolators, providing 5000 vac isolation
EL3074	Double protection optical isolators, providing 5000 vac isolation
EL3080	Double protection optical isolators, providing 5000 vac isolation
EL3081	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-72201002-9
Report reference E214129-20010227
Date 2024-08-31

EL3082	Double protection optical isolators, providing 5000 vac isolation
EL3083	Double protection optical isolators, providing 5000 vac isolation
EL3084	Double protection optical isolators, providing 5000 vac isolation
EL3161	Double protection optical isolators, providing 5000 vac isolation
EL3162	Double protection optical isolators, providing 5000 vac isolation
EL3163	Double protection optical isolators, providing 5000 vac isolation
EL354	Double protection optical isolators, providing 3750 Vac isolation
EL354L	Double protection optical isolators, providing 5000 vac isolation
EL354N	Double protection optical isolators, providing 3750 Vac isolation
EL354NU	Double protection optical isolators, providing 3750 vac isolation
EL355	Double protection optical isolators, providing 3750 Vac isolation
EL355L	Double protection optical isolators, providing 5000 vac isolation
EL356	Double protection optical isolators, providing 3750 Vac isolation
EL356N	Double protection optical isolators, providing 3750 Vac isolation
EL357	Double protection optical isolators, providing 3750 Vac isolation
EL3571N	Double protection optical isolators, providing 3750 vac isolation
EL357L	Double protection optical isolators, providing 5000 vac isolation
EL357N	Double protection optical isolators, providing 3750 Vac isolation
EL357NH	Double protection optical isolators, providing 3750 vac isolation
EL357NL	Double protection optical isolators, providing 3750 vac isolation
EL357NU	Double protection optical isolators, providing 3750 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-72201002-9
Report reference E214129-20010227
Date 2024-08-31

EL359	Double protection optical isolators, providing 3750 Vac isolation
EL35XN, "X" may be any letters or numbers	Double protection optical isolators at 3750 Vac isolation voltage
EL3H4	Double protection optical isolators, providing 3750 Vac isolation
EL3H4U	Double protection optical isolators, providing 3750 vac isolation
EL3H5	Double protection optical isolators at 3750 Vac isolation voltage
EL3H7	Double protection optical isolators, providing 3750 Vac isolation
EL3H71	Double protection optical isolators, providing 3750 Vac isolation
EL3H7H	Double protection optical isolators, providing 3750 vac isolation
EL3H7L	Double protection optical isolators, providing 3750 vac isolation
EL3H7U	Double protection optical isolators, providing 3750 vac isolation
EL3HX, "X" may be any letters or numbers	Double protection optical isolators at 3750 Vac isolation voltage
EL610	Double protection optical isolators, providing 5000 vac isolation
EL617	Double protection optical isolators, providing 5000 vac isolation
EL717	Double protection optical isolators, providing 5000 vac isolation
EL727	Double protection optical isolators, providing 5000 vac isolation
EL78X0, "X" may be any letters or numbers.	Double protection optical isolators at 5000 Vac isolation voltage
EL7X7, "X" may be 0 to 9	Double Protection Optical isolators
EL814	Double protection optical isolators, providing 5000 vac isolation
EL815	Double protection optical isolators, providing 5000 vac isolation
EL816	Double protection optical isolators, providing 5000 vac isolation
EL817	Double protection optical isolators, providing 5000 vac isolation
EL8171	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-72201002-9
Report reference E214129-20010227
Date 2024-08-31

EL817H	Double protection optical isolators, providing 5000 vac isolation
EL817L	Double protection optical isolators, providing 5000 vac isolation
EL819	Double protection optical isolators, providing 5000 vac isolation
EL824	Double protection optical isolators, providing 5000 vac isolation
EL825	Double protection optical isolators, providing 5000 vac isolation
EL826	Double protection optical isolators, providing 5000 vac isolation
EL827	Double protection optical isolators, providing 5000 vac isolation
EL829	Double protection optical isolators, providing 5000 vac isolation
EL844	Double protection optical isolators, providing 5000 vac isolation
EL845	Double protection optical isolators, providing 5000 vac isolation
EL847	Double protection optical isolators, providing 5000 vac isolation
EL8X4, "X" may be 0 to 9	Double Protection Optical isolators
EL8X5, "X" may be 0 to 9	Double Protection Optical isolators
EL8X6, "X" may be 0 to 9	Double Protection Optical isolators
EL8X7, "X" may be 0 to 9	Double Protection Optical isolators
EL8X9, "X" may be 0 to 9.	Double Protection Optical isolators
EL9001	Double protection optical isolators, providing 5000 vac isolation
ELC10X, "X" may be 0 to 9. May be followed by any letters or numbers.	Double protection optical isolators at 5000 Vac isolation voltage
ELC35XN, "X" may be any letters or numbers.	Double protection optical isolators at 3750 Vac isolation voltage
ELC3HX, "X" may be any letters or numbers.	Double protection optical isolators at 3750 Vac isolation voltage
ELD205	Double protection optical isolators, providing 3750 Vac isolation
ELD206	Double protection optical isolators, providing 3750 Vac isolation
ELD207	Double protection optical isolators, providing 3750 Vac isolation
ELD208	Double protection optical isolators, providing 3750 Vac isolation



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-72201002-9
Report reference E214129-20010227
Date 2024-08-31

ELD211	Double protection optical isolators, providing 3750 Vac isolation
ELD213	Double protection optical isolators, providing 3750 Vac isolation
ELD217	Double protection optical isolators, providing 3750 Vac isolation
ELD3H4	Double protection optical isolators, providing 3750 Vac isolation
ELD3H5	Double protection optical isolators, providing 3750 Vac isolation
ELD3H6	Double protection optical isolators, providing 3750 Vac isolation
ELD3H7	Double protection optical isolators, providing 3750 Vac isolation
ELM4	Double protection optical isolators, providing 5000 vac isolation
ELM6	Double protection optical isolators, providing 5000 vac isolation
ELQ3H4	Double protection optical isolators, providing 3750 Vac isolation
ELQ3H5	Double protection optical isolators, providing 3750 Vac isolation
ELQ3H7	Double protection optical isolators, providing 3750 Vac isolation
EV101U	Double protection optical isolators, providing 3750 vac isolation
EV354NU	Double protection optical isolators, providing 3750 vac isolation
EV357NH	Double protection optical isolators, providing 3750 vac isolation
EV357NU	Double protection optical isolators, providing 3750 vac isolation
EV3H4U	Double protection optical isolators, providing 3750 vac isolation
EV3H7U	Double protection optical isolators, providing 3750 vac isolation
H11A	Double protection optical isolators, providing 5000 vac isolation
H11AA1	Double protection optical isolators, providing 5000 vac isolation
H11AA2	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-72201002-9
Report reference E214129-20010227
Date 2024-08-31

H11AA3	Double protection optical isolators, providing 5000 vac isolation
H11AA4	Double protection optical isolators, providing 5000 vac isolation
H11B1	Double protection optical isolators, providing 5000 vac isolation
H11B2	Double protection optical isolators, providing 5000 vac isolation
H11B255	Double protection optical isolators, providing 5000 vac isolation
H11B3	Double protection optical isolators, providing 5000 vac isolation
H11L1	Double protection optical isolators, providing 5000 vac isolation
H11L2	Double protection optical isolators, providing 5000 vac isolation
H11L3	Double protection optical isolators, providing 5000 vac isolation
HS817	Double protection optical isolators, providing 5000 vac isolation
K233	Double protection optical isolators, providing 5000 vac isolation
K817P	Double protection optical isolators, providing 5000 vac isolation
MCT2	Double protection optical isolators, providing 5000 vac isolation
MOC119	Double protection optical isolators, providing 5000 vac isolation
MOC8020	Double protection optical isolators, providing 5000 vac isolation
MOC8021	Double protection optical isolators, providing 5000 vac isolation
MOC8030	Double protection optical isolators, providing 5000 vac isolation
MOC8050	Double protection optical isolators, providing 5000 vac isolation
MOC8080	Double protection optical isolators, providing 5000 vac isolation
MOC810	Double protection optical isolators, providing 5000 vac isolation
MOC811	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-72201002-9
Report reference E214129-20010227
Date 2024-08-31

SL55	Double protection optical isolators, providing 5000 vac isolation
TCDT110	Double protection optical isolators, providing 5000 vac isolation
TCDT111	Double protection optical isolators, providing 5000 vac isolation
TCDT112	Double protection optical isolators, providing 5000 vac isolation
TCET110	Double protection optical isolators, providing 5000 vac isolation
TCET111	Double protection optical isolators, providing 5000 vac isolation
TCET120	Double protection optical isolators, providing 5000 vac isolation
TIL11	Double protection optical isolators, providing 5000 vac isolation
TIL113	Double protection optical isolators, providing 5000 vac isolation
VO610	Double protection optical isolators, providing 5000 vac isolation
VO610A	Double protection optical isolators, providing 5000 vac isolation
VO615A	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number(s):

UL-US-L214129-31-
21808002-7

Report Reference:

E214129-20080812

Issue Date:

2025-12-20

Issued to:

**EVERLIGHT ELECTRONICS CO LTD
6-8 ZHONGHUA RD SHULIN DISTRICT, NEW TAIPEI, 23860, TW**

This certificate confirms that representative samples of:

FPQU2 - Optical Isolators - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 1577, Edition 5, Issue Date 2014-04-25, Revision Date 2023-07-06

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L214129-31-21808002-7
Report reference: E214129-20080812
Issue Date: 2025-12-20

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Double protection optical isolators at 3750 Vac isolation voltage

Model(s): ELM31KX "X" or "K" may be any letters or numbers.

Double protection optical isolators at 5000 Vac isolation voltage

Model(s): 6N13, EL31KX, EL57KX, ELW31KX "X" or "K" may be any letters or numbers.

Double protection optical isolators, providing 3750 Vac isolation

Model(s): EL050L

Double protection optical isolators, providing 3750 vac isolation

Model(s): EL0212, EL071L, EL0500, EL0202, EL060L, EL0601, EL0600, EL0454, EL0211, EL0701, EL0452, EL0210, EL0700, EL0501, EL070L, EL061N, EL0201, EL0453, EL0611, EL061A, EL0200

Double protection optical isolators, providing 5000 vac isolation

Model(s): ELW3180, ELW138, EL4502, EL2503, EL2200, EL260L, H11G3, ELW135, EL2631, EL2231, EL371, 6N139, EL4661, EL2611, EL263A, 6N136, 6N135, EL2601, EL2219, ELW260L, EL4534, ELW250L, EL4504, EL2531, EL2202, EL261N, ELW3150, ELW137, EL2731, EL2502, EL852, EL253L, ELW3140, ELW136, EL2730, EL2232, EL725, EL250L, 6N138, EL263N, EL2212, EL2630, ELW3120, H11G2, ELW3184, ELW139, EL4503, EL2530, EL2201, EL261A, H11G1, ELD852, EL2211, EL263L, 6N137

Model(s): ELW26XX, ELW450X, ELW22XX X may be any letters or numbers.

Double protection optical isolators, providing 5300 V ac isolation

Model(s): H11D, EL851, ELD851, 4N5

Double protection optical isolators, providing 8000 vac isolation

Model(s): ELL300, ELL200

Double protection optical isolators, providing 8200 vac isolation

Model(s): CNY65, CNY64

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number(s):

UL-CA-L214129-41-
21808002-6

Report Reference:

E214129-20080812

Issue Date:

2025-12-20

Issued to:

EVERLIGHT ELECTRONICS CO LTD
6-8 ZHONGHUA RD SHULIN DISTRICT, NEW TAIPEI, 23860, TW

This certificate confirms that representative samples of:

FPQU8 - Optical Isolators Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA Component Acceptance Service Notice No. 5A, Issue Date: 1998-01-23

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L214129-41-21808002-6
Report reference: E214129-20080812
Issue Date: 2025-12-20

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Double protection optical isolators at 3750 Vac isolation voltage

Model(s): ELM31KX "X" or "K" may be any letters or numbers.

Double protection optical isolators at 5000 Vac isolation voltage

Model(s): 6N13, EL31KX, EL57KX, ELW31KX "X" or "K" may be any letters or numbers.

Double protection optical isolators, providing 3750 Vac isolation

Model(s): EL050L

Double protection optical isolators, providing 3750 vac isolation

Model(s): EL0212, EL071L, EL0500, EL0202, EL060L, EL0601, EL0600, EL0454, EL0211, EL0701, EL0452, EL0210, EL0700, EL0501, EL070L, EL061N, EL0201, EL0453, EL0611, EL061A, EL0200

Double protection optical isolators, providing 5000 vac isolation

Model(s): ELW3180, ELW138, EL4502, EL2503, EL2200, EL260L, H11G3, ELW135, EL2631, EL2231, EL371, 6N139, EL4661, EL2611, EL263A, 6N136, 6N135, EL2601, EL2219, ELW260L, EL4534, ELW250L, EL4504, EL2531, EL2202, EL261N, ELW3150, ELW137, EL2731, EL2502, EL852, EL253L, ELW3140, ELW136, EL2730, EL2232, EL725, EL250L, 6N138, EL263N, EL2212, EL2630, ELW3120, H11G2, ELW3184, ELW139, EL4503, EL2530, EL2201, EL261A, H11G1, ELD852, EL2211, EL263L, 6N137

Model(s): ELW26XX, ELW450X, ELW22XX X may be any letters or numbers.

Double protection optical isolators, providing 5300 V ac isolation

Model(s): H11D, EL851, ELD851, 4N5

Double protection optical isolators, providing 8000 vac isolation

Model(s): ELL300, ELL200

Double protection optical isolators, providing 8200 vac isolation

Model(s): CNY65, CNY64

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-US-L214129-31-
62800102-6

Report Reference:

E214129-20100826

Issue Date:

2024-08-31

Issued to:

**EVERLIGHT ELECTRONICS CO LTD
6-8 ZHONGHUA RD SHULIN DISTRICT NEW TAIPEI 23860
Taiwan**

This certificate confirms that representative samples of:
FPQU2 - Optical Isolators - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 1577, Edition 5, Issue Date 2014-04-25, Revision Date 2023-07-06

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-62800102-6
Report reference E214129-20100826
Date 2024-08-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
EL0530	Double protection optical isolators, providing 3750 vac isolation
EL0531	Double protection optical isolators, providing 3750 vac isolation
EL0533	Double protection optical isolators, providing 3750 vac isolation
EL053L	Double protection optical isolators, providing 3750 vac isolation
EL0551	Double protection optical isolators, providing 3750 vac isolation
EL0630	Double protection optical isolators, providing 3750 vac isolation
EL0631	Double protection optical isolators, providing 3750 vac isolation
EL063A	Double protection optical isolators, providing 3750 vac isolation
EL063L	Double protection optical isolators, providing 3750 vac isolation
EL063N	Double protection optical isolators, providing 3750 vac isolation
EL0661	Double protection optical isolators, providing 3750 vac isolation
EL0730	Double protection optical isolators, providing 3750 vac isolation
EL0731	Double protection optical isolators, providing 3750 vac isolation
EL083L	Double protection optical isolators, providing 3750 vac isolation
EL086L	Double protection optical isolators, providing 3750 vac isolation
EL307X, "X" may be any letters or numbers.	Double protection optical isolators at 3750 Vac isolation voltage
EL351	Double protection optical isolators, providing 3750 vac isolation
EL352	Double protection optical isolators, providing 3750 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-62800102-6
Report reference E214129-20100826
Date 2024-08-31

EL451	Double protection optical isolators, providing 3750 vac isolation
EL452	Double protection optical isolators, providing 3750 vac isolation
ELC81X, "X" may be any letters or numbers.	Double protection optical isolators at 5000 Vac isolation voltage
ELM3010	Double protection optical isolators, providing 3750 vac isolation
ELM3011	Double protection optical isolators, providing 3750 vac isolation
ELM3012	Double protection optical isolators, providing 3750 vac isolation
ELM3013	Double protection optical isolators, providing 3750 vac isolation
ELM3014	Double protection optical isolators, providing 3750 vac isolation
ELM3020	Double protection optical isolators, providing 3750 vac isolation
ELM3021	Double protection optical isolators, providing 3750 vac isolation
ELM3022	Double protection optical isolators, providing 3750 vac isolation
ELM3023	Double protection optical isolators, providing 3750 vac isolation
ELM3024	Double protection optical isolators, providing 3750 vac isolation
ELM3030	Double protection optical isolators, providing 3750 vac isolation
ELM3031	Double protection optical isolators, providing 3750 vac isolation
ELM3032	Double protection optical isolators, providing 3750 vac isolation
ELM3033	Double protection optical isolators, providing 3750 vac isolation
ELM3034	Double protection optical isolators, providing 3750 vac isolation
ELM3040	Double protection optical isolators, providing 3750 vac isolation
ELM3041	Double protection optical isolators, providing 3750 vac isolation
ELM3042	Double protection optical isolators, providing 3750 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-62800102-6
Report reference E214129-20100826
Date 2024-08-31

ELM3043	Double protection optical isolators, providing 3750 vac isolation
ELM3044	Double protection optical isolators, providing 3750 vac isolation
ELM3050	Double protection optical isolators, providing 3750 vac isolation
ELM3051	Double protection optical isolators, providing 3750 vac isolation
ELM3052	Double protection optical isolators, providing 3750 vac isolation
ELM3053	Double protection optical isolators, providing 3750 vac isolation
ELM3054	Double protection optical isolators, providing 3750 vac isolation
ELM3060	Double protection optical isolators, providing 3750 vac isolation
ELM3061	Double protection optical isolators, providing 3750 vac isolation
ELM3062	Double protection optical isolators, providing 3750 vac isolation
ELM3063	Double protection optical isolators, providing 3750 vac isolation
ELM3064	Double protection optical isolators, providing 3750 vac isolation
ELM3070	Double protection optical isolators, providing 3750 vac isolation
ELM3071	Double protection optical isolators, providing 3750 vac isolation
ELM3072	Double protection optical isolators, providing 3750 vac isolation
ELM3073	Double protection optical isolators, providing 3750 vac isolation
ELM3074	Double protection optical isolators, providing 3750 vac isolation
ELM3080	Double protection optical isolators, providing 3750 vac isolation
ELM3081	Double protection optical isolators, providing 3750 vac isolation
ELM3082	Double protection optical isolators, providing 3750 vac isolation
ELM3083	Double protection optical isolators, providing 3750 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-62800102-6
Report reference E214129-20100826
Date 2024-08-31

ELM3084	Double protection optical isolators, providing 3750 vac isolation
ELM312	Double protection optical isolators at 3750 Vac isolation voltage
ELM314	Double protection optical isolators, providing 3750 vac isolation
ELM315	Double protection optical isolators at 3750 Vac isolation voltage
ELM425	Double protection optical isolators at 3750 Vac isolation voltage
ELM452	Double protection optical isolators, providing 3750 vac isolation
ELM452L	Double protection optical isolators, providing 3750 vac isolation
ELM453	Double protection optical isolators, providing 3750 vac isolation
ELM453H	Double protection optical isolators, providing 3750 vac isolation
ELM453L	Double protection optical isolators, providing 3750 vac isolation
ELM454	Double protection optical isolators, providing 3750 vac isolation
ELM456	Double protection optical isolators, providing 3750 vac isolation
ELM511	Double protection optical isolators, providing 3750 vac isolation
ELM600	Double protection optical isolators, providing 3750 vac isolation
ELM600L	Double protection optical isolators, providing 3750 vac isolation
ELM601	Double protection optical isolators, providing 3750 vac isolation
ELM601L	Double protection optical isolators, providing 3750 vac isolation
ELM60U	Double protection optical isolators, providing 3750 vac isolation
ELM611	Double protection optical isolators, providing 3750 vac isolation
ELM611H	Double protection optical isolators, providing 3750 vac isolation
ELM611L	Double protection optical isolators, providing 3750 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-62800102-6
Report reference E214129-20100826
Date 2024-08-31

ELM61L	Double protection optical isolators, providing 3750 vac isolation
ELM61U	Double protection optical isolators, providing 3750 vac isolation
ELM680	Double protection optical isolators, providing 3750 vac isolation
ELM684	Double protection optical isolators at 3750 Vac isolation voltage
ELM68XL, "X" may be any letters or numbers.	Double protection optical isolators at 3750 Vac isolation voltage
ELM80L	Double protection optical isolators, providing 3750 vac isolation
ELM81L	Double protection optical isolators, providing 3750 vac isolation
ELM8XL, "X" may be any letters or numbers.	Double protection optical isolators at 3750 Vac isolation voltage
ELSX11, "X" may be any letters or numbers.	Double protection optical isolators at 5000 Vac isolation voltage



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-CA-L214129-41-
62800102-6

Report Reference:

E214129-20100826

Issue Date:

2024-08-31

Issued to:

EVERLIGHT ELECTRONICS CO LTD
6-8 ZHONGHUA RD SHULIN DISTRICT NEW TAIPEI 23860
Taiwan

This certificate confirms that representative samples of:

FPQU8 - Optical Isolators Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA Component Acceptance Service Notice No. 5A, Issue Date:
1998-01-23

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-62800102-6
Report reference E214129-20100826
Date 2024-08-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
EL0530	Double protection optical isolators, providing 3750 vac isolation
EL0531	Double protection optical isolators, providing 3750 vac isolation
EL0533	Double protection optical isolators, providing 3750 vac isolation
EL053L	Double protection optical isolators, providing 3750 vac isolation
EL0551	Double protection optical isolators, providing 3750 vac isolation
EL0630	Double protection optical isolators, providing 3750 vac isolation
EL0631	Double protection optical isolators, providing 3750 vac isolation
EL063A	Double protection optical isolators, providing 3750 vac isolation
EL063L	Double protection optical isolators, providing 3750 vac isolation
EL063N	Double protection optical isolators, providing 3750 vac isolation
EL0661	Double protection optical isolators, providing 3750 vac isolation
EL0730	Double protection optical isolators, providing 3750 vac isolation
EL0731	Double protection optical isolators, providing 3750 vac isolation
EL083L	Double protection optical isolators, providing 3750 vac isolation
EL086L	Double protection optical isolators, providing 3750 vac isolation
EL307X, "X" may be any letters or numbers.	Double protection optical isolators at 3750 Vac isolation voltage
EL351	Double protection optical isolators, providing 3750 vac isolation
EL352	Double protection optical isolators, providing 3750 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-62800102-6
Report reference E214129-20100826
Date 2024-08-31

EL451	Double protection optical isolators, providing 3750 vac isolation
EL452	Double protection optical isolators, providing 3750 vac isolation
ELC81X, "X" may be any letters or numbers.	Double protection optical isolators at 5000 Vac isolation voltage
ELM3010	Double protection optical isolators, providing 3750 vac isolation
ELM3011	Double protection optical isolators, providing 3750 vac isolation
ELM3012	Double protection optical isolators, providing 3750 vac isolation
ELM3013	Double protection optical isolators, providing 3750 vac isolation
ELM3014	Double protection optical isolators, providing 3750 vac isolation
ELM3020	Double protection optical isolators, providing 3750 vac isolation
ELM3021	Double protection optical isolators, providing 3750 vac isolation
ELM3022	Double protection optical isolators, providing 3750 vac isolation
ELM3023	Double protection optical isolators, providing 3750 vac isolation
ELM3024	Double protection optical isolators, providing 3750 vac isolation
ELM3030	Double protection optical isolators, providing 3750 vac isolation
ELM3031	Double protection optical isolators, providing 3750 vac isolation
ELM3032	Double protection optical isolators, providing 3750 vac isolation
ELM3033	Double protection optical isolators, providing 3750 vac isolation
ELM3034	Double protection optical isolators, providing 3750 vac isolation
ELM3040	Double protection optical isolators, providing 3750 vac isolation
ELM3041	Double protection optical isolators, providing 3750 vac isolation
ELM3042	Double protection optical isolators, providing 3750 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-62800102-6
Report reference E214129-20100826
Date 2024-08-31

ELM3043	Double protection optical isolators, providing 3750 vac isolation
ELM3044	Double protection optical isolators, providing 3750 vac isolation
ELM3050	Double protection optical isolators, providing 3750 vac isolation
ELM3051	Double protection optical isolators, providing 3750 vac isolation
ELM3052	Double protection optical isolators, providing 3750 vac isolation
ELM3053	Double protection optical isolators, providing 3750 vac isolation
ELM3054	Double protection optical isolators, providing 3750 vac isolation
ELM3060	Double protection optical isolators, providing 3750 vac isolation
ELM3061	Double protection optical isolators, providing 3750 vac isolation
ELM3062	Double protection optical isolators, providing 3750 vac isolation
ELM3063	Double protection optical isolators, providing 3750 vac isolation
ELM3064	Double protection optical isolators, providing 3750 vac isolation
ELM3070	Double protection optical isolators, providing 3750 vac isolation
ELM3071	Double protection optical isolators, providing 3750 vac isolation
ELM3072	Double protection optical isolators, providing 3750 vac isolation
ELM3073	Double protection optical isolators, providing 3750 vac isolation
ELM3074	Double protection optical isolators, providing 3750 vac isolation
ELM3080	Double protection optical isolators, providing 3750 vac isolation
ELM3081	Double protection optical isolators, providing 3750 vac isolation
ELM3082	Double protection optical isolators, providing 3750 vac isolation
ELM3083	Double protection optical isolators, providing 3750 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-62800102-6
Report reference E214129-20100826
Date 2024-08-31

ELM3084	Double protection optical isolators, providing 3750 vac isolation
ELM312	Double protection optical isolators at 3750 Vac isolation voltage
ELM314	Double protection optical isolators, providing 3750 vac isolation
ELM315	Double protection optical isolators at 3750 Vac isolation voltage
ELM425	Double protection optical isolators at 3750 Vac isolation voltage
ELM452	Double protection optical isolators, providing 3750 vac isolation
ELM452L	Double protection optical isolators, providing 3750 vac isolation
ELM453	Double protection optical isolators, providing 3750 vac isolation
ELM453H	Double protection optical isolators, providing 3750 vac isolation
ELM453L	Double protection optical isolators, providing 3750 vac isolation
ELM454	Double protection optical isolators, providing 3750 vac isolation
ELM456	Double protection optical isolators, providing 3750 vac isolation
ELM511	Double protection optical isolators, providing 3750 vac isolation
ELM600	Double protection optical isolators, providing 3750 vac isolation
ELM600L	Double protection optical isolators, providing 3750 vac isolation
ELM601	Double protection optical isolators, providing 3750 vac isolation
ELM601L	Double protection optical isolators, providing 3750 vac isolation
ELM60U	Double protection optical isolators, providing 3750 vac isolation
ELM611	Double protection optical isolators, providing 3750 vac isolation
ELM611H	Double protection optical isolators, providing 3750 vac isolation
ELM611L	Double protection optical isolators, providing 3750 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-62800102-6
Report reference E214129-20100826
Date 2024-08-31

ELM61L	Double protection optical isolators, providing 3750 vac isolation
ELM61U	Double protection optical isolators, providing 3750 vac isolation
ELM680	Double protection optical isolators, providing 3750 vac isolation
ELM684	Double protection optical isolators at 3750 Vac isolation voltage
ELM68XL, "X" may be any letters or numbers.	Double protection optical isolators at 3750 Vac isolation voltage
ELM80L	Double protection optical isolators, providing 3750 vac isolation
ELM81L	Double protection optical isolators, providing 3750 vac isolation
ELM8XL, "X" may be any letters or numbers.	Double protection optical isolators at 3750 Vac isolation voltage
ELSX11, "X" may be any letters or numbers.	Double protection optical isolators at 5000 Vac isolation voltage



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-US-L214129-31-
71900102-4

Report Reference:

E214129-20100917

Issue Date:

2024-08-31

Issued to:

**EVERLIGHT ELECTRONICS CO LTD
6-8 ZHONGHUA RD SHULIN DISTRICT NEW TAIPEI 23860
Taiwan**

This certificate confirms that representative samples of:
FPQU2 - Optical Isolators - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 1577, Edition 5, Issue Date 2014-04-25, Revision Date 2023-07-06

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-71900102-4
Report reference E214129-20100917
Date 2024-08-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
ELR0213	Double protection optical isolators, providing 5000 vac isolation
ELR0223	Double protection optical isolators, providing 5000 vac isolation
ELR0313	Double protection optical isolators, providing 5000 vac isolation
ELR0323	Double protection optical isolators, providing 5000 vac isolation
ELR1213	Double protection optical isolators, providing 5000 vac isolation
ELR1223	Double protection optical isolators, providing 5000 vac isolation
ELR1313	Double protection optical isolators, providing 5000 vac isolation
ELR1323	Double protection optical isolators, providing 5000 vac isolation
ELR2213	Double protection optical isolators, providing 5000 vac isolation
ELR2223	Double protection optical isolators, providing 5000 vac isolation
ELR2313	Double protection optical isolators, providing 5000 vac isolation
ELR2323	Double protection optical isolators, providing 5000 vac isolation
ELR3202	Double protection optical isolators, providing 5000 vac isolation
ELR3203	Double protection optical isolators, providing 5000 vac isolation
ELR3212	Double protection optical isolators, providing 5000 vac isolation
ELR3213	Double protection optical isolators, providing 5000 vac isolation
ELR3222	Double protection optical isolators, providing 5000 vac isolation
ELR3223	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-71900102-4
Report reference E214129-20100917
Date 2024-08-31

ELR3232	Double protection optical isolators, providing 5000 vac isolation
ELR3233	Double protection optical isolators, providing 5000 vac isolation
ELR3313	Double protection optical isolators, providing 5000 vac isolation
ELR3323	Double protection optical isolators, providing 5000 vac isolation
ELR3402	Double protection optical isolators, providing 5000 vac isolation
ELR3403	Double protection optical isolators, providing 5000 vac isolation
ELR3412	Double protection optical isolators, providing 5000 vac isolation
ELR3413	Double protection optical isolators, providing 5000 vac isolation
ELR3422	Double protection optical isolators, providing 5000 vac isolation
ELR3423	Double protection optical isolators, providing 5000 vac isolation
ELR3432	Double protection optical isolators, providing 5000 vac isolation
ELR3433	Double protection optical isolators, providing 5000 vac isolation
ELR3502	Double protection optical isolators, providing 5000 vac isolation
ELR3503	Double protection optical isolators, providing 5000 vac isolation
ELR3512	Double protection optical isolators, providing 5000 vac isolation
ELR3513	Double protection optical isolators, providing 5000 vac isolation
ELR3522	Double protection optical isolators, providing 5000 vac isolation
ELR3523	Double protection optical isolators, providing 5000 vac isolation
ELR3532	Double protection optical isolators, providing 5000 vac isolation
ELR3533	Double protection optical isolators, providing 5000 vac isolation
ELR3602	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-71900102-4
Report reference E214129-20100917
Date 2024-08-31

ELR3603	Double protection optical isolators, providing 5000 vac isolation
ELR3612	Double protection optical isolators, providing 5000 vac isolation
ELR3613	Double protection optical isolators, providing 5000 vac isolation
ELR3622	Double protection optical isolators, providing 5000 vac isolation
ELR3623	Double protection optical isolators, providing 5000 vac isolation
ELR3632	Double protection optical isolators, providing 5000 vac isolation
ELR3633	Double protection optical isolators, providing 5000 vac isolation
ELR3702	Double protection optical isolators, providing 5000 vac isolation
ELR3703	Double protection optical isolators, providing 5000 vac isolation
ELR3712	Double protection optical isolators, providing 5000 vac isolation
ELR3713	Double protection optical isolators, providing 5000 vac isolation
ELR3722	Double protection optical isolators, providing 5000 vac isolation
ELR3723	Double protection optical isolators, providing 5000 vac isolation
ELR3732	Double protection optical isolators, providing 5000 vac isolation
ELR3733	Double protection optical isolators, providing 5000 vac isolation
ELR3802	Double protection optical isolators, providing 5000 vac isolation
ELR3803	Double protection optical isolators, providing 5000 vac isolation
ELR3812	Double protection optical isolators, providing 5000 vac isolation
ELR3813	Double protection optical isolators, providing 5000 vac isolation
ELR3822	Double protection optical isolators, providing 5000 vac isolation
ELR3823	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-71900102-4
Report reference E214129-20100917
Date 2024-08-31

ELR3832	Double protection optical isolators, providing 5000 vac isolation
ELR3833	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-CA-L214129-41-
71900102-4

Report Reference:

E214129-20100917

Issue Date:

2024-08-31

Issued to:

**EVERLIGHT ELECTRONICS CO LTD
6-8 ZHONGHUA RD SHULIN DISTRICT NEW TAIPEI 23860
Taiwan**

This certificate confirms that representative samples of:

FPQU8 - Optical Isolators Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**CSA Component Acceptance Service Notice No. 5A, Issue Date:
1998-01-23**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-71900102-4
Report reference E214129-20100917
Date 2024-08-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
ELR0213	Double protection optical isolators, providing 5000 vac isolation
ELR0223	Double protection optical isolators, providing 5000 vac isolation
ELR0313	Double protection optical isolators, providing 5000 vac isolation
ELR0323	Double protection optical isolators, providing 5000 vac isolation
ELR1213	Double protection optical isolators, providing 5000 vac isolation
ELR1223	Double protection optical isolators, providing 5000 vac isolation
ELR1313	Double protection optical isolators, providing 5000 vac isolation
ELR1323	Double protection optical isolators, providing 5000 vac isolation
ELR2213	Double protection optical isolators, providing 5000 vac isolation
ELR2223	Double protection optical isolators, providing 5000 vac isolation
ELR2313	Double protection optical isolators, providing 5000 vac isolation
ELR2323	Double protection optical isolators, providing 5000 vac isolation
ELR3202	Double protection optical isolators, providing 5000 vac isolation
ELR3203	Double protection optical isolators, providing 5000 vac isolation
ELR3212	Double protection optical isolators, providing 5000 vac isolation
ELR3213	Double protection optical isolators, providing 5000 vac isolation
ELR3222	Double protection optical isolators, providing 5000 vac isolation
ELR3223	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-71900102-4
Report reference E214129-20100917
Date 2024-08-31

ELR3232	Double protection optical isolators, providing 5000 vac isolation
ELR3233	Double protection optical isolators, providing 5000 vac isolation
ELR3313	Double protection optical isolators, providing 5000 vac isolation
ELR3323	Double protection optical isolators, providing 5000 vac isolation
ELR3402	Double protection optical isolators, providing 5000 vac isolation
ELR3403	Double protection optical isolators, providing 5000 vac isolation
ELR3412	Double protection optical isolators, providing 5000 vac isolation
ELR3413	Double protection optical isolators, providing 5000 vac isolation
ELR3422	Double protection optical isolators, providing 5000 vac isolation
ELR3423	Double protection optical isolators, providing 5000 vac isolation
ELR3432	Double protection optical isolators, providing 5000 vac isolation
ELR3433	Double protection optical isolators, providing 5000 vac isolation
ELR3502	Double protection optical isolators, providing 5000 vac isolation
ELR3503	Double protection optical isolators, providing 5000 vac isolation
ELR3512	Double protection optical isolators, providing 5000 vac isolation
ELR3513	Double protection optical isolators, providing 5000 vac isolation
ELR3522	Double protection optical isolators, providing 5000 vac isolation
ELR3523	Double protection optical isolators, providing 5000 vac isolation
ELR3532	Double protection optical isolators, providing 5000 vac isolation
ELR3533	Double protection optical isolators, providing 5000 vac isolation
ELR3602	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-71900102-4
Report reference E214129-20100917
Date 2024-08-31

ELR3603	Double protection optical isolators, providing 5000 vac isolation
ELR3612	Double protection optical isolators, providing 5000 vac isolation
ELR3613	Double protection optical isolators, providing 5000 vac isolation
ELR3622	Double protection optical isolators, providing 5000 vac isolation
ELR3623	Double protection optical isolators, providing 5000 vac isolation
ELR3632	Double protection optical isolators, providing 5000 vac isolation
ELR3633	Double protection optical isolators, providing 5000 vac isolation
ELR3702	Double protection optical isolators, providing 5000 vac isolation
ELR3703	Double protection optical isolators, providing 5000 vac isolation
ELR3712	Double protection optical isolators, providing 5000 vac isolation
ELR3713	Double protection optical isolators, providing 5000 vac isolation
ELR3722	Double protection optical isolators, providing 5000 vac isolation
ELR3723	Double protection optical isolators, providing 5000 vac isolation
ELR3732	Double protection optical isolators, providing 5000 vac isolation
ELR3733	Double protection optical isolators, providing 5000 vac isolation
ELR3802	Double protection optical isolators, providing 5000 vac isolation
ELR3803	Double protection optical isolators, providing 5000 vac isolation
ELR3812	Double protection optical isolators, providing 5000 vac isolation
ELR3813	Double protection optical isolators, providing 5000 vac isolation
ELR3822	Double protection optical isolators, providing 5000 vac isolation
ELR3823	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-71900102-4
Report reference E214129-20100917
Date 2024-08-31

ELR3832	Double protection optical isolators, providing 5000 vac isolation
ELR3833	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-US-L214129-31-
20901102-4

Report Reference:

E214129-20110902

Issue Date:

2024-08-31

Issued to:

**EVERLIGHT ELECTRONICS CO LTD
6-8 ZHONGHUA RD SHULIN DISTRICT NEW TAIPEI 23860
Taiwan**

This certificate confirms that representative samples of:
FPQU2 - Optical Isolators - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 1577, Edition 5, Issue Date 2014-04-25, Revision Date 2023-07-06

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-20901102-4
Report reference E214129-20110902
Date 2024-08-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
ELT3010	Double protection optical isolators, providing 5000 vac isolation
ELT3011	Double protection optical isolators, providing 5000 vac isolation
ELT3012	Double protection optical isolators, providing 5000 vac isolation
ELT3013	Double protection optical isolators, providing 5000 vac isolation
ELT3014	Double protection optical isolators, providing 5000 vac isolation
ELT3020	Double protection optical isolators, providing 5000 vac isolation
ELT3021	Double protection optical isolators, providing 5000 vac isolation
ELT3022	Double protection optical isolators, providing 5000 vac isolation
ELT3023	Double protection optical isolators, providing 5000 vac isolation
ELT3024	Double protection optical isolators, providing 5000 vac isolation
ELT3030	Double protection optical isolators, providing 5000 vac isolation
ELT3031	Double protection optical isolators, providing 5000 vac isolation
ELT3032	Double protection optical isolators, providing 5000 vac isolation
ELT3033	Double protection optical isolators, providing 5000 vac isolation
ELT3034	Double protection optical isolators, providing 5000 vac isolation
ELT3040	Double protection optical isolators, providing 5000 vac isolation
ELT3041	Double protection optical isolators, providing 5000 vac isolation
ELT3042	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-20901102-4
Report reference E214129-20110902
Date 2024-08-31

ELT3043	Double protection optical isolators, providing 5000 vac isolation
ELT3044	Double protection optical isolators, providing 5000 vac isolation
ELT3050	Double protection optical isolators, providing 5000 vac isolation
ELT3051	Double protection optical isolators, providing 5000 vac isolation
ELT3052	Double protection optical isolators, providing 5000 vac isolation
ELT3053	Double protection optical isolators, providing 5000 vac isolation
ELT3054	Double protection optical isolators, providing 5000 vac isolation
ELT3060	Double protection optical isolators, providing 5000 vac isolation
ELT3061	Double protection optical isolators, providing 5000 vac isolation
ELT3062	Double protection optical isolators, providing 5000 vac isolation
ELT3063	Double protection optical isolators, providing 5000 vac isolation
ELT3064	Double protection optical isolators, providing 5000 vac isolation
ELT3070	Double protection optical isolators, providing 5000 vac isolation
ELT3071	Double protection optical isolators, providing 5000 vac isolation
ELT3072	Double protection optical isolators, providing 5000 vac isolation
ELT3073	Double protection optical isolators, providing 5000 vac isolation
ELT3074	Double protection optical isolators, providing 5000 vac isolation
ELT3080	Double protection optical isolators, providing 5000 vac isolation
ELT3081	Double protection optical isolators, providing 5000 vac isolation
ELT3082	Double protection optical isolators, providing 5000 vac isolation
ELT3083	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-20901102-4
Report reference E214129-20110902
Date 2024-08-31

ELT3084	Double protection optical isolators, providing 5000 vac isolation
---------	--



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-CA-L214129-41-
20901102-4

Report Reference:

E214129-20110902

Issue Date:

2024-08-31

Issued to:

**EVERLIGHT ELECTRONICS CO LTD
6-8 ZHONGHUA RD SHULIN DISTRICT NEW TAIPEI 23860
Taiwan**

This certificate confirms that representative samples of:

FPQU8 - Optical Isolators Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**CSA Component Acceptance Service Notice No. 5A, Issue Date:
1998-01-23**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-20901102-4
Report reference E214129-20110902
Date 2024-08-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
ELT3010	Double protection optical isolators, providing 5000 vac isolation
ELT3011	Double protection optical isolators, providing 5000 vac isolation
ELT3012	Double protection optical isolators, providing 5000 vac isolation
ELT3013	Double protection optical isolators, providing 5000 vac isolation
ELT3014	Double protection optical isolators, providing 5000 vac isolation
ELT3020	Double protection optical isolators, providing 5000 vac isolation
ELT3021	Double protection optical isolators, providing 5000 vac isolation
ELT3022	Double protection optical isolators, providing 5000 vac isolation
ELT3023	Double protection optical isolators, providing 5000 vac isolation
ELT3024	Double protection optical isolators, providing 5000 vac isolation
ELT3030	Double protection optical isolators, providing 5000 vac isolation
ELT3031	Double protection optical isolators, providing 5000 vac isolation
ELT3032	Double protection optical isolators, providing 5000 vac isolation
ELT3033	Double protection optical isolators, providing 5000 vac isolation
ELT3034	Double protection optical isolators, providing 5000 vac isolation
ELT3040	Double protection optical isolators, providing 5000 vac isolation
ELT3041	Double protection optical isolators, providing 5000 vac isolation
ELT3042	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-20901102-4
Report reference E214129-20110902
Date 2024-08-31

ELT3043	Double protection optical isolators, providing 5000 vac isolation
ELT3044	Double protection optical isolators, providing 5000 vac isolation
ELT3050	Double protection optical isolators, providing 5000 vac isolation
ELT3051	Double protection optical isolators, providing 5000 vac isolation
ELT3052	Double protection optical isolators, providing 5000 vac isolation
ELT3053	Double protection optical isolators, providing 5000 vac isolation
ELT3054	Double protection optical isolators, providing 5000 vac isolation
ELT3060	Double protection optical isolators, providing 5000 vac isolation
ELT3061	Double protection optical isolators, providing 5000 vac isolation
ELT3062	Double protection optical isolators, providing 5000 vac isolation
ELT3063	Double protection optical isolators, providing 5000 vac isolation
ELT3064	Double protection optical isolators, providing 5000 vac isolation
ELT3070	Double protection optical isolators, providing 5000 vac isolation
ELT3071	Double protection optical isolators, providing 5000 vac isolation
ELT3072	Double protection optical isolators, providing 5000 vac isolation
ELT3073	Double protection optical isolators, providing 5000 vac isolation
ELT3074	Double protection optical isolators, providing 5000 vac isolation
ELT3080	Double protection optical isolators, providing 5000 vac isolation
ELT3081	Double protection optical isolators, providing 5000 vac isolation
ELT3082	Double protection optical isolators, providing 5000 vac isolation
ELT3083	Double protection optical isolators, providing 5000 vac isolation



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-20901102-4
Report reference E214129-20110902
Date 2024-08-31

ELT3084	Double protection optical isolators, providing 5000 vac isolation
---------	--



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-US-L214129-31-
22202102-6

Report Reference:

E214129-20120222

Issue Date:

2025-05-29

Issued to:

EVERLIGHT ELECTRONICS CO LTD
6-8 ZHONGHUA RD SHULIN DISTRICT, NEW TAIPEI, 23860, TW

This certificate confirms that representative samples of:

FPQU2 - Optical Isolators - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 1577, Edition 5, Issue Date 2014-04-25, Revision Date 2023-07-06

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L214129-31-22202102-6
Report reference E214129-20120222
Date 2025-05-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Double protection optical isolators at 5000 Vac isolation voltage

Model(s): EL603A5, EL606A3, EL6150A, EV6150A

Double protection optical isolators, providing 3750 vac isolation

Model(s): ELM406A, ELM440A, ELM460A, ELM640A

Double protection optical isolators, providing 5000 vac isolation

Model(s): EL3120, EL3140, EL3150, EL3180, EL3184, EL806A, EL810A, EL820A, EL825A, EL835A, EL840A, EL860A, ELS050L, ELS051L, ELS052L, ELS060L, ELS061L, ELS062L, ELS270, ELS271, ELS272, ELS3120, ELS3140, ELS3150, ELS3180, ELS3184, ELS500, ELS501, ELS600, ELS601, ELS60U, ELS62U

Model(s): E(L,V)K87XX, ELS31KX, ELS51X, ELS61X, ELS68X *Where X may be any letters or numbers.*

Model(s): EL406X, EL410X, EL420X, EL425X, EL435X, EL440X, EL460X, EL606X, EL610X, EL620X, EL625X, EL635X, EL640X, EL660X *where X may be any letters or numbers.*

Single protection optical isolators, providing 3750 Vac isolation

Model(s): ELM660A, ELM840A, ELM860A



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-CA-L214129-41-
22202102-6

Report Reference:

E214129-20120222

Issue Date:

2025-05-29

Issued to:

EVERLIGHT ELECTRONICS CO LTD
6-8 ZHONGHUA RD SHULIN DISTRICT, NEW TAIPEI, 23860, TW

This certificate confirms that representative samples of:

FPQU8 - Optical Isolators Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

**CSA Component Acceptance Service Notice No. 5A, Issue Date:
1998-01-23**

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L214129-41-22202102-6
Report reference E214129-20120222
Date 2025-05-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Double protection optical isolators at 5000 Vac isolation voltage

Model(s): EL603A5, EL606A3, EL6150A, EV6150A

Double protection optical isolators, providing 3750 vac isolation

Model(s): ELM406A, ELM440A, ELM460A, ELM640A

Double protection optical isolators, providing 5000 vac isolation

Model(s): EL3120, EL3140, EL3150, EL3180, EL3184, EL806A, EL810A, EL820A, EL825A, EL835A, EL840A, EL860A, ELS050L, ELS051L, ELS052L, ELS060L, ELS061L, ELS062L, ELS270, ELS271, ELS272, ELS3120, ELS3140, ELS3150, ELS3180, ELS3184, ELS500, ELS501, ELS600, ELS601, ELS60U, ELS62U

Model(s): E(L,V)K87XX, ELS31KX, ELS51X, ELS61X, ELS68X *Where X may be any letters or numbers.*

Model(s): EL406X, EL410X, EL420X, EL425X, EL435X, EL440X, EL460X, EL606X, EL610X, EL620X, EL625X, EL635X, EL640X, EL660X *where X may be any letters or numbers.*

Single protection optical isolators, providing 3750 Vac isolation

Model(s): ELM660A, ELM840A, ELM860A



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-US-2433861-2

Report Reference:

E214129-20240828

Issue Date:

2025-05-29

Issued to:

**EVERLIGHT ELECTRONICS CO LTD
6-8 ZHONGHUA RD SHULIN DISTRICT, NEW TAIPEI, 23860, TW**

This certificate confirms that representative samples of:

FPQU2 - Optical Isolators - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

UL 1577, Edition 5, Issue Date 2014-04-25, Revision Date 2023-07-06

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-2433861-2
Report reference E214129-20240828
Date 2025-05-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Double protection optical isolators at 3750 Vac isolation voltage

Model(s): E(L,V)M4XT, E(L,V)M6X(A~Z), E(L,V)MPVXXXX, ELM403AX, ELM406AX, ELQC3HX , where X may be any letters or numbers.

Double protection optical isolators at 3750 vac isolation

Model(s): ELMXK, ELXHK Where X may be any letters or numbers.

Model(s): EL01XX, EL33XJ Where X may be any letters or numbers.

Double protection optical isolators at 5000 Vac isolation voltage

Model(s): E(L,V)16XX0A, E(L,V)K4XT, E(L,V)M88X, EL68XX, ELW13XX, EVKPVXXXX , where X may be any letters or numbers.

Model(s): EL27KX where K and X may be any letters or numbers.

Double protection optical isolators at 5000 vac isolation

Model(s): E(L,V)K78XX, E(L,V)K79XX, E(L,V)K87XX Where X may be any letters or numbers.

Model(s): ELMLXK Where X may be any letters or numbers.

Double protection optical isolators at 5000 vac isolation.

Model(s): EL27KX Where K and X may be any letters or numbers.

Model(s): E(L,V)61XXA, E(L,V)78XX, E(L,V)79XX Where X may be any letters or numbers.

Double protection optical isolators at 7500 Vac isolation voltage

Model(s): ELH31XX, ELH6X(A~Z) , where X may be any letters or numbers.

Double protection optical isolators at 7500 vac isolation

Model(s): ELH51X, ELHXX Where X may be any letters or numbers.

Model(s): E(L,V)87XX, E(L,V)H78XX, E(L,V)H79XX, E(L,V)H87XX, ELHXXK Where X may be any letters or numbers.

Single protection optical isolators at 5000 Vac isolation voltage

Model(s): E(L,V)LPVXXXX , where X may be any letters or numbers.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number:

UL-CA-2426211-2

Report Reference:

E214129-20240828

Issue Date:

2025-05-29

Issued to:

EVERLIGHT ELECTRONICS CO LTD
6-8 ZHONGHUA RD SHULIN DISTRICT, NEW TAIPEI, 23860, TW

This certificate confirms that representative samples of:

FPQU8 - Optical Isolators Certified for Canada - Component

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

CSA Component Acceptance Service Notice No. 5A, Issue Date: 1998-01-23

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Recognized Component Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



A handwritten signature in black ink, appearing to read 'David Piecuch'.

David Piecuch
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-2426211-2
Report reference E214129-20240828
Date 2025-05-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Double protection optical isolators at 3750 Vac isolation voltage

Model(s): E(L,V)M4XT, E(L,V)M6X(A~Z), E(L,V)MPVXXXX, ELM403AX, ELM406AX, ELQC3HX , where X may be any letters or numbers.

Double protection optical isolators at 3750 vac isolation

Model(s): ELMXK, ELXHK Where X may be any letters or numbers.

Model(s): EL01XX, EL33XJ Where X may be any letters or numbers.

Double protection optical isolators at 5000 Vac isolation voltage

Model(s): E(L,V)16XX0A, E(L,V)K4XT, E(L,V)M88X, EL68XX, ELW13XX, EVKPVXXXX , where X may be any letters or numbers.

Model(s): EL27KX where K and X may be any letters or numbers.

Double protection optical isolators at 5000 vac isolation

Model(s): E(L,V)K78XX, E(L,V)K79XX, E(L,V)K87XX Where X may be any letters or numbers.

Model(s): ELMLXK Where X may be any letters or numbers.

Double protection optical isolators at 5000 vac isolation.

Model(s): EL27KX Where K and X may be any letters or numbers.

Model(s): E(L,V)61XXA, E(L,V)78XX, E(L,V)79XX Where X may be any letters or numbers.

Double protection optical isolators at 7500 Vac isolation voltage

Model(s): ELH31XX, ELH6X(A~Z) , where X may be any letters or numbers.

Double protection optical isolators at 7500 vac isolation

Model(s): ELH51X, ELHXK Where X may be any letters or numbers.

Model(s): E(L,V)87XX, E(L,V)H78XX, E(L,V)H79XX, E(L,V)H87XX, ELHXXK Where X may be any letters or numbers.

Single protection optical isolators at 5000 Vac isolation voltage

Model(s): E(L,V)LPVXXXX , where X may be any letters or numbers.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.